

AR-15 KP-15 COMPLETE LOWER RECEIVERS MIL-SPEC POLYMER - AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC POLYMER BLK

Practicality Meets Affordability

What makes this lower different than its counterparts? The answer is simple... the KE Arms KP-15 is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Weight: 1.704 lbs. Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC POLYMER BLK
- Manufacturer: KE ARMS
- Product no.: 100037287
- Mfr. No.: 1-61-01-002
- Cartridge: 5.56 mm NATO
- Color: Black

- Finish: Anodized
- Make: AR-15
- Style: Complete
- Delivery weight: 1.089kg
- Shipping height: 51mm
- Shipping width: 235mm
- Shipping length: 540mm
- UPC: 050806113602

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den KE Arms KP15 Lower Receiver](#)
- [English: KE Arms KP15 Complete Lower Receiver Safety Instructions](#)
- [Italiano: Guida alla Sicurezza del Prodotto per il KE ARMS KP15 COMPLETE LOWER RECEIVER](#)

Sicherheitshinweise für den KE Arms KP15 Lower Receiver

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des KE Arms KP15 Complete Lower Receiver. Dieser Leitfaden bietet Ihnen wichtige Informationen zur sicheren Verwendung, Installation und Entsorgung des Produkts, um sicherzustellen, dass Sie das Beste aus Ihrem neuen Lower Receiver herausholen und gleichzeitig sicher bleiben.

Allgemeine Sicherheitsrichtlinien

- Überprüfe regelmäßig den Lower Receiver auf sichtbare Schäden oder Abnutzung.
- Verwende das Produkt nur wie vorgesehen und gemäß den Anweisungen des Herstellers.
- Halte den Lower Receiver außerhalb der Reichweite von Kindern und anderen unbefugten Personen.
- Lagere das Produkt an einem sicheren, trockenen Ort, um Korrosion oder andere Schäden zu vermeiden.
- Melde unsichere Produkte oder Unfälle den zuständigen Behörden.

Besondere Sicherheitsvorkehrungen für die Verwendung

- Achte darauf, dass du mindestens 21 Jahre alt bist, um dieses Produkt zu erwerben und zu verwenden.
- Verwende nur Standard Carbine Buffers und Rundfedern oder den JP SCSS im KP15.
- Verwende den KE Arms milspec Selector oder ambi Selector, um das Entfernen zu erleichtern.
- Beachte, dass der KE Arms KP15 nicht für .458 SOCOM, .50 Beowulf oder .50 BMG empfohlen wird.
- Verwende den Lower Receiver nicht mit einem PDQ Hebel, da dieser exklusiv für das WWSD Komplettgewehr ist.

Anweisungen für Installation und Verwendung

1. **Vorbereitung:** Stelle sicher, dass der Arbeitsplatz sauber und gut beleuchtet ist. Halte alle erforderlichen Werkzeuge bereit.
2. **Installation des Buffers:**
 - Verwende einen Carbine Buffer und eine Feder.
 - Der Buffer Detent wird mit einem 5/64" Rollpin an Ort und Stelle gehalten.
3. **Montage des Pistolengriffes:**
 - Stelle sicher, dass der Pistolengriff korrekt am Lower Receiver befestigt ist.
4. **Befestigung des Schafts:**
 - Der 13Zoll (LOP) Schaft sollte fest mit dem Lower Receiver verbunden sein.
5. **Sicherheitsvorrichtungen:**
 - Überprüfe die Funktion des Sicherheitsschalters und stelle sicher, dass er ordnungsgemäß funktioniert.
6. **Abschluss:**
 - Überprüfe alle Verbindungen und stelle sicher, dass alles sicher und fest sitzt, bevor du das Produkt verwendest.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Elektronik und Kunststoff.
- Wenn das Produkt beschädigt ist oder nicht mehr verwendet werden kann, stelle sicher, dass es sicher verpackt ist, um Verletzungen zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast.

Bitte beachte, dass dieser Leitfaden nicht alle möglichen Risiken abdecken kann. Es liegt in deiner Verantwortung, sicherzustellen, dass du alle Sicherheitsvorkehrungen triffst und das Produkt sicher verwendest.

KE Arms KP15 Complete Lower Receiver Safety Instructions

Introduction

Thank you for choosing the KE Arms KP15 Complete Lower Receiver. This product is designed for the assembly of AR15 style firearms. To ensure your safety and the safety of others, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep your firearm pointed in a safe direction at all times.
- Store the KE Arms KP15 in a secure location, away from unauthorized access, especially from children.
- Ensure proper training and knowledge before operating the firearm.
- Regularly inspect the receiver and all components for any signs of wear or damage.
- Follow all local, state, and national laws regarding firearm ownership and usage.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Age Requirement:** You must be 21 years old to purchase this item.
- **Compatibility:** Ensure compatibility with standard AR15 uppers and avoid using nonstandard components, such as the PDQ lever.
- **Buffer Weight:** Use only standard carbine buffers and round springs or the JP SCSS in the KP15. Using a buffer weight lower than 5.4oz can damage the lower receiver.
- **Assembly Caution:** Follow the manufacturer's assembly guide carefully. Use the designated milspec selector or ambi selector for easier removal.
- **Cerakote Application:** If applying Cerakote, bake at low temperatures (<190 Degrees F) with an upper in place to prevent warping.
- **Warranty Limitations:** The KE Arms KP15 has a lifetime warranty for normal use. Misuse or neglect may void the warranty.

Instructions for Installation and Usage

1. **Initial Inspection:** Before installation, inspect the KP15 for any visible damage or defects.
2. **Assembly:**
 - Follow the manufacturer's assembly guide for proper installation.
 - Use the recommended KE Arms longer hammer pin for a flush aesthetic.
 - Ensure the safety selector spring and detent are loaded from the top before sliding the selector over them.
3. **Compatibility Check:** Confirm that your upper receiver is compatible with the KP15 and that it is chambered in one of the supported calibers (.223/5.56mm NATO, .300 Blackout, 6.5mm Grendel, 6.8mm SPC, or 9mm blowback systems).
4. **Final Inspection:** After assembly, conduct a thorough inspection to ensure all components are securely installed and functioning correctly.
5. **Usage:** When using the firearm, adhere to all safety practices outlined in the general safety guidelines.

Disposal Instructions

- Dispose of the KE Arms KP15 in accordance with local laws and regulations regarding firearm components.
- If the receiver is no longer usable or needed, consult with local authorities for proper disposal methods to

ensure safety and compliance.

Contact Information for Further Support

For any questions or concerns regarding the KE Arms KP15 Complete Lower Receiver, please refer to the manufacturer's contact details included in the product packaging or visit their official website for additional support and resources.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your KE Arms KP15 Complete Lower Receiver. Thank you for your attention to safety.

Guida alla Sicurezza del Prodotto per il KE ARMS KP15 COMPLETE LOWER RECEIVER

Introduzione

Grazie per aver scelto il KE ARMS KP15 COMPLETE LOWER RECEIVER. Questo prodotto è progettato per offrire prestazioni elevate e sicurezza durante l'uso. È fondamentale seguire le linee guida di sicurezza per garantire un utilizzo corretto e sicuro. Questa guida fornisce informazioni essenziali sulla sicurezza, l'installazione e l'uso del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di avere almeno 21 anni per acquistare questo prodotto.
- Utilizza il prodotto solo come indicato nelle istruzioni.
- Controlla regolarmente il lower receiver per segni di usura o danni.
- Non utilizzare il lower receiver con componenti non raccomandati dal produttore.
- In caso di malfunzionamenti, interrompi immediatamente l'uso e contatta un professionista.
- Segui tutte le leggi locali e nazionali relative all'uso di armi da fuoco.

Precauzioni di Sicurezza Specifiche per l'Uso

- **Uso corretto:** Utilizza solo buffer e molle per carabina standard o JP SCSS nel KP15. L'uso di componenti non conformi può danneggiare il lower.
- **Installazione:** Segui attentamente le istruzioni per l'installazione. Un'installazione errata può compromettere la sicurezza.
- **Controllo del selettore di sicurezza:** Assicurati che il selettore di sicurezza sia funzionante e facilmente accessibile.
- **Verifica dei perni:** Controlla che i perni di smontaggio e pivot siano correttamente installati e funzionanti.
- **Utilizzo di accessori:** Utilizza solo accessori compatibili e raccomandati per evitare problemi di sicurezza.

Istruzioni per l'Installazione e l'Uso

1. Preparazione:

- Assicurati di avere tutti gli strumenti necessari per l'installazione.
- Lavora in un'area ben illuminata e priva di distrazioni.

2. Installazione del Lower Receiver:

- Segui la guida all'assemblaggio fornita dal produttore.
- Assicurati che tutti i componenti siano posizionati correttamente e fissati in modo sicuro.

3. Controllo PostInstallazione:

- Dopo l'installazione, verifica che tutti i meccanismi funzionino correttamente.
- Controlla che il buffer e la molla siano installati correttamente.

4. Uso del Lower Receiver:

- Utilizza il lower receiver solo con uppers AR15 standard e calibro compatibile.
- Assicurati di utilizzare un peso minimo del buffer di 5.4oz per sistemi blowback da 9mm.

Istruzioni per lo Smaltimento

- Non smaltire il lower receiver in modo improprio. Segui le leggi locali per il corretto smaltimento dei materiali.
- In caso di necessità di smaltimento, contatta un centro di raccolta autorizzato per la gestione dei rifiuti.

Informazioni di Contatto per Ulteriore Supporto

Per eventuali domande o necessità di assistenza, ti invitiamo a contattare il produttore o il rivenditore autorizzato. Assicurati di avere a disposizione il numero di serie del prodotto e le informazioni sull'acquisto.

Conclusione

Il KE ARMS KP15 COMPLETE LOWER RECEIVER è progettato per offrire prestazioni elevate e sicurezza. Seguendo queste linee guida di sicurezza, puoi garantire un utilizzo sicuro e responsabile del tuo prodotto. Ricorda sempre di mantenere la sicurezza come priorità assoluta.