

KP-15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER BLACK

What makes this lower different than its counterparts? The answer is simple... the KE Arms KP-15 is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. This complete model includes the KE Arms DMR Trigger, with 4.5lbs pull. The KE Arms KP-15 lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Weight: 1.704 lbs. Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: KP-15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER BLACK
- Manufacturer: KE ARMS
- Product no.: 100041629
- Mfr. No.: 1-61-01-012
- Cartridge: 5.56 mm NATO
- Color: Black
- Finish: Anodized
- Make: AR-15
- Style: Complete
- Delivery weight: 1.111kg

- Shipping height: 51mm
- Shipping width: 229mm
- Shipping length: 533mm

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den KP15 Komplett Lower Receiver mit DMR Trigger](#)
- [English: KP15 Complete Lower Receiver with DMR Trigger Safety Instruction Guide](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il KP15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER](#)

Sicherheitshinweise für den KP15 Komplett Lower Receiver mit DMR Trigger

Einführung

Herzlichen Glückwunsch zu Ihrem Kauf des KE Arms KP15 Komplett Lower Receiver mit DMR Trigger. Dieses Produkt wurde unter strengen Sicherheitsstandards entwickelt, um eine sichere und zuverlässige Nutzung zu gewährleisten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher verwenden und mögliche Risiken vermeiden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie das Produkt gemäß den Anweisungen des Herstellers verwenden.
- Lagern Sie den Lower Receiver an einem sicheren Ort, der für Kinder und unbefugte Personen unzugänglich ist.
- Überprüfen Sie regelmäßig auf Anzeichen von Beschädigungen oder Abnutzung.
- Verwenden Sie das Produkt nicht, wenn es beschädigt oder defekt ist.
- Halten Sie sich an alle örtlichen Gesetze und Vorschriften bezüglich des Besitzes und der Verwendung von Feuerwaffen.

Spezifische Sicherheitsvorkehrungen zur Nutzung

- Verwenden Sie nur kompatible Standard AR15 Oberteile und Zubehörteile.
- Nutzen Sie ausschließlich empfohlene Buffers und Federn. Die Verwendung anderer Teile kann den Lower Receiver beschädigen.
- Achten Sie darauf, dass der Buffer ein Mindestgewicht von 5,4 oz hat, um Schäden am Lower Receiver zu vermeiden.
- Bei der Montage des Sicherheitswählers beachten Sie die speziellen Anweisungen, um Schwierigkeiten beim Entfernen zu vermeiden.
- Verwenden Sie das Produkt nicht bei Temperaturen über 190 Grad F, insbesondere wenn Sie planen, es zu Cerakote.

Anweisungen zur Installation und Nutzung

1. Montage des Lower Receivers:

- Stellen Sie sicher, dass alle Teile im Lieferumfang enthalten sind.
- Befolgen Sie die Montageanleitung des Herstellers sorgfältig.
- Achten Sie darauf, dass alle Pins und Schrauben fest angezogen sind.

2. Verwendung des DMR Triggers:

- Der DMR Trigger hat ein Abzugsgewicht von 4,5 lbs. Üben Sie den Abzug vor der Verwendung, um sich mit dem Widerstand vertraut zu machen.
- Überprüfen Sie den Trigger regelmäßig auf ordnungsgemäße Funktion.

3. Sicherheitshinweise während der Nutzung:

- Halten Sie den Finger immer vom Abzug, bis Sie bereit sind, zu schießen.
- Überprüfen Sie vor jedem Schuss, ob die Waffe sicher und korrekt geladen ist.
- Seien Sie sich der Umgebung bewusst und schießen Sie niemals in Richtung von Menschen oder Tieren.

Entsorgungsanweisungen

- Entsorgen Sie den Lower Receiver und alle dazugehörigen Teile gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Verwenden Sie geeignete Recyclingstellen, wenn verfügbar.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung wenden Sie sich bitte an den Hersteller oder einen autorisierten Händler. Es ist wichtig, dass Sie bei Unsicherheiten oder Problemen Hilfe suchen.

Warnhinweise

- Dieser Artikel ist rechtlich als Receiver klassifiziert. Sie müssen 21 Jahre alt sein, um diesen Artikel zu kaufen, und ein Bewohner des gleichen Bundesstaates, in dem Ihr übertragender Händler lizenziert ist.
- KE Arms empfiehlt, den KP15 nicht für .458 SOCOM, .50 Beowulf oder .50 BMG zu verwenden.
- Bei der Registrierung des KP15 Lower Receivers als NFAWaffe kontaktieren Sie bitte KE Arms.

Bitte beachten Sie die oben genannten Sicherheitsrichtlinien und nutzen Sie das Produkt verantwortungsbewusst. Ihre Sicherheit und die Sicherheit anderer ist von größter Bedeutung.

KP15 Complete Lower Receiver with DMR Trigger Safety Instruction Guide

Introduction

Thank you for choosing the KP15 Complete Lower Receiver with DMR Trigger. This product is designed for safe and effective use in various applications. Please read this safety instruction guide carefully to ensure proper handling, installation, and usage. Your safety is our priority.

General Safety Guidelines

- Ensure the product is used only by individuals 21 years or older.
- Always wear appropriate safety gear, including eye and ear protection, when handling or using firearms.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of damage or wear. Do not use if damaged.
- Store the product in a secure location when not in use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Legal Compliance:** Ensure you are compliant with local laws regarding firearm ownership and use.
- **Compatibility:** Use only standard AR15 uppers and compatible components as specified in the product description.
- **Buffer and Spring:** Use only standard carbine buffers and round springs or the JP SCSS in the KP15. Using incompatible components may cause damage.
- **Assembly:** Follow the manufacturer's assembly guide closely. Incorrect assembly can lead to malfunctions.
- **Trigger Safety:** Always treat the firearm as if it is loaded. Keep your finger off the trigger until ready to shoot.
- **Buffer Weight:** Ensure a minimum buffer weight of 5.4oz is used to avoid damage to the lower receiver.
- **Cerakote Application:** If applying Cerakote, follow the manufacturer's recommendations for baking temperatures to prevent warping.

Instructions for Installation and Usage

1. Installation:

- Ensure you are working in a clean and safe environment.
- Gather all necessary tools and components before starting the installation.
- Carefully read the assembly instructions provided by the manufacturer.
- Install the upper receiver onto the KP15 lower receiver, ensuring a secure fit.

2. Usage:

- Always check that the firearm is unloaded before handling.
- When using the KP15, ensure that the safety selector is in the safe position until ready to fire.
- Use the firearm in a safe and controlled environment, following all local laws and regulations.
- After use, clean and maintain the firearm according to the manufacturer's guidelines.

Disposal Instructions

- Dispose of any damaged or unusable components in accordance with local regulations.
- Do not dispose of the product in regular household waste. Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the KP15 Complete Lower Receiver with DMR Trigger, please refer to the manufacturer's contact information provided with your product. It is important to have access to support for any safety inquiries or product issues.

By following these guidelines and precautions, you can ensure the safe use of your KP15 Complete Lower Receiver with DMR Trigger. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

Guida alle Istruzioni di Sicurezza per il KP15 COMPLETE LOWER RECEIVER WITH DMR TRIGGER

Introduzione

Grazie per aver scelto il KE Arms KP15 Complete Lower Receiver with DMR Trigger. Questo prodotto è progettato per garantire prestazioni elevate e sicurezza. È importante seguire attentamente le istruzioni di sicurezza e utilizzo per garantire un'esperienza sicura e soddisfacente.

Linee Guida Generali di Sicurezza

- Leggi attentamente tutte le istruzioni prima di utilizzare il prodotto.
- Conserva queste istruzioni per future consultazioni.
- Non utilizzare il prodotto in modo improprio o per scopi non previsti.
- Assicurati di avere almeno 21 anni per acquistare e utilizzare questo prodotto.
- Utilizza sempre il prodotto in conformità con le leggi locali e nazionali.
- Controlla regolarmente il prodotto per segni di usura o danni.
- In caso di problemi o malfunzionamenti, interrompi immediatamente l'uso e contatta un esperto.

Precauzioni di Sicurezza Specifiche per l'Uso

- Non utilizzare buffer e molle che non siano conformi alle specifiche indicate (standard carabina o JP SCSS).
- Assicurati che il peso del buffer sia di almeno 5.4oz quando utilizzi sistemi blowback da 9mm.
- Quando installi il selettore di sicurezza, segui le istruzioni specifiche per evitare difficoltà nella rimozione.
- Utilizza solo perni del grilletto standard AR15 o il perno del grilletto più lungo di KE Arms per evitare problemi estetici.
- Se intendi cerare il tuo KP15, utilizza temperature di cottura basse (<190 gradi F) per evitare deformazioni.

Istruzioni per l'Installazione e l'Uso

1. **Preparazione:** Assicurati di avere tutti i componenti necessari e uno spazio di lavoro pulito.
2. **Installazione del Grilletto:**
 - Posiziona il grilletto nel lower receiver.
 - Assicurati che il perno del grilletto sia inserito correttamente e fissato.
3. **Installazione del Selettore di Sicurezza:**
 - Carica la molla e il detent dall'alto.
 - Fissa il selettore in posizione.
4. **Installazione del Buffer Tube:**
 - Inserisci il buffer tube nel lower receiver.
 - Fissa il buffer e la molla da carabina.
5. **Controllo Finale:**
 - Controlla che tutte le parti siano installate correttamente e che non ci siano movimenti indesiderati.
 - Effettua un controllo visivo per assicurarti che non ci siano danni.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento dei materiali in plastica e metallo.
- Non gettare il prodotto nei rifiuti normali; verifica se ci sono programmi di riciclaggio nella tua area.
- Se il prodotto è danneggiato, contatta un centro di smaltimento autorizzato per una corretta gestione.

Informazioni di Contatto per Ulteriori Supporto

Per eventuali domande o problemi relativi al tuo KE Arms KP15 Complete Lower Receiver, ti invitiamo a contattare il tuo rivenditore autorizzato o un esperto nel settore.

Conclusione

Seguendo queste linee guida di sicurezza e istruzioni, puoi garantire un uso sicuro e responsabile del tuo KE Arms KP15 Complete Lower Receiver with DMR Trigger. La tua sicurezza è la nostra priorità.