

BLEMISHED KP-15 LOWER RECEIVER STRIPPED FDE

The same great stripped lower, with a little bit lower price due to some cosmetic or trim issues. What makes this stripped lower different? The answer is simple... the KE Arms KP-15 stripped lower receiver is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 stripped lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. Stripped Lower Includes Pivot and Take Down Pins KP-15 Selector Detent Buttplate 5/64" Roll Pin to Retain Buffer Detent The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: BLEMISHED KP-15 LOWER RECEIVER STRIPPED FDE
- Manufacturer: KE ARMS
- Product no.: 100042613
- Mfr. No.: 1-61-01-107
- Cartridge: 5.56 mm NATO
- Color: Flat Dark Earth
- Finish: Anodized
- Make: AR-15

- Style: Stripped
- Delivery weight: 0.726kg
- Shipping height: 51mm
- Shipping width: 241mm
- Shipping length: 533mm

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE](#)
- [English: KE Arms KP15 Lower Receiver Safety Instruction Guide](#)

Sicherheitshinweise für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE

Einführung

Willkommen zu den Sicherheitshinweisen für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE von KE ARMS. Diese Anleitung soll dir helfen, das Produkt sicher zu verwenden und potenzielle Gefahren zu vermeiden. Bitte lies die folgenden Informationen sorgfältig durch, um sicherzustellen, dass du alle Sicherheitsvorkehrungen einhältst.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du mindestens 21 Jahre alt bist, um dieses Produkt zu kaufen und zu verwenden.
- Verwende das Produkt nur in Übereinstimmung mit den Anweisungen des Herstellers.
- Halte das Produkt von Kindern und anderen gefährdeten Gruppen fern.
- Achte darauf, dass alle verwendeten Teile und Zubehörteile den Sicherheitsstandards entsprechen.
- Überprüfe regelmäßig das Produkt auf Schäden oder Abnutzung.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwende nur StandardCarbineBuffer und runde Federn oder den JP SCSS im KP15.
- Achte darauf, dass der Buffer Detent mit einem 5/64" Rollpin gesichert ist, um ein Herausfallen zu verhindern.
- Verwende beim Cerakoten des KP15 niedrige Temperaturen (<190 Grad F), um Verformungen zu vermeiden.
- Beachte, dass der KE Arms KP15 nicht für .458 SOCOM, .50 Beowulf oder .50 BMG empfohlen wird.
- Wenn du den KP15 Lower Receiver als NFAWaffe registrieren möchtest, kontaktiere KE Arms.

Anweisungen für Installation und Nutzung

• Installation des Lower Receivers:

1. Stelle sicher, dass alle Teile sauber und frei von Verunreinigungen sind.
2. Baue den Lower Receiver gemäß der Montageanleitung des Herstellers zusammen.
3. Überprüfe, ob alle Pins und Befestigungen sicher sitzen.
4. Stelle sicher, dass der HammerPinBereich korrekt installiert ist.

• Nutzung des Lower Receivers:

1. Verwende das Produkt nur mit kompatiblen AR15Oberteilen in den empfohlenen Kalibern.
2. Überprüfe regelmäßig den Zustand des Lower Receivers und der verwendeten Teile.
3. Halte dich an alle lokalen Gesetze und Vorschriften bezüglich des Besitzes und der Nutzung von Feuerwaffen.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Waffen und Waffenteilen.
- Überprüfe, ob das Produkt umweltfreundlich entsorgt werden kann, und halte dich an die geltenden Gesetze.

Kontaktinformationen für weitere Unterstützung

Falls du Fragen hast oder Unterstützung benötigst, wende dich bitte an den Hersteller oder deinen Händler. Sie können dir weitere Informationen und Hilfe bieten.

Bitte beachte diese Sicherheitshinweise, um eine sichere Nutzung des BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE zu gewährleisten. Sicherheit hat oberste Priorität!

KE Arms KP15 Lower Receiver Safety Instruction Guide

Introduction

Thank you for choosing the KE Arms KP15 Lower Receiver. This guide provides essential safety instructions and information to ensure the safe use and handling of your product. Please read this guide carefully before using the KP15 Lower Receiver.

General Safety Guidelines

- Ensure that you are at least 21 years old and a resident of the same state as your transferring dealer before purchasing this item.
- Always treat the KP15 Lower Receiver as if it is loaded.
- Store your lower receiver in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the lower receiver for any signs of wear or damage. Do not use if damaged.
- Follow all local, state, and federal laws regarding firearms and their components.
- Be aware of your surroundings when handling the lower receiver and ensure that it is used in a safe environment.

Specific Safety Precautions for Use

- Do not use the KP15 Lower Receiver with anything other than standard carbine buffers and round springs, or the JP SCSS.
- The KP15 Lower Receiver is classified as a firearm receiver. Ensure compliance with all regulations regarding its use.
- If you intend to Cerakote your KP15, follow the manufacturer's recommendations for lowtemperature baking (<190 Degrees F) to prevent warping.
- Use only compatible AR15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel, and 6.8mm SPC.
- When using a 9mm blowback system, ensure that a minimum buffer weight of 5.4oz is used to prevent damage.
- The PDQ lever is exclusive to the WWSD complete rifle. Do not attempt to use it with the KP15.

Instructions for Installation and Usage

1. Installation:

- Carefully follow the manufacturer's assembly guide to ensure proper installation.
- Ensure that the safety selector spring and detent are loaded from the top before sliding the selector into place.
- Use the provided pivot and take down pins for assembly.
- Ensure that the buffer detent is retained with the 5/64" roll pin.

2. Usage:

- For optimal performance, use a carbine buffer and spring that are compatible with the KP15.
- Check that the lower receiver is properly mated with the upper receiver before use.
- Always verify that the safety selector is in the "safe" position when not in use.
- Regularly clean and maintain the lower receiver to ensure safe operation.

Disposal Instructions

- When disposing of the KP15 Lower Receiver, comply with local laws regarding the disposal of firearms and firearm components.
- If the lower receiver is damaged beyond repair, contact a local authority for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the KE Arms KP15 Lower Receiver, please refer to the manufacturer's contact details provided with your product or visit their official website for more information.

Please remember to keep this guide for future reference and ensure that all users of the KP15 Lower Receiver are familiar with its safe handling and operation. Thank you for prioritizing safety.