

AR-15 KP-15 COMPLETE LOWER RECEIVERS MIL-SPEC POLYMER - AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC POLYMER ODG

Practicality Meets Affordability

What makes this lower different than its counterparts? The answer is simple... the KE Arms KP-15 is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Weight: 1.704 lbs. Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC POLYMER ODG
- Manufacturer: KE ARMS
- Product no.: 100042918
- Mfr. No.: 1-61-01-022
- Cartridge: 5.56 mm NATO
- Color: O.D. Green

- Finish: Anodized
- Make: AR-15
- Style: Complete
- Delivery weight: 1.179kg
- Shipping height: 51mm
- Shipping width: 241mm
- Shipping length: 546mm

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den AR15 KP15 COMPLETE LOWER RECEIVER](#)
- [English: Safety Instruction Guide for the AR15 KP15 Complete Lower Receiver](#)
- [Italiano: Guida alle Istruzioni di Sicurezza del Prodotto](#)

Sicherheitshinweise für den AR15 KP15 COMPLETE LOWER RECEIVER

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des AR15 KP15 COMPLETE LOWER RECEIVER. Dieses Produkt wurde entwickelt, um Ihnen eine sichere und zuverlässige Nutzung zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um mögliche Risiken zu minimieren und die ordnungsgemäße Verwendung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die gesetzlichen Anforderungen in Ihrem Land erfüllen, bevor Sie dieses Produkt erwerben oder verwenden.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck und gemäß den Anweisungen des Herstellers.
- Halten Sie das Produkt außerhalb der Reichweite von Kindern und anderen schutzbedürftigen Personen.
- Überprüfen Sie das Produkt regelmäßig auf Anzeichen von Beschädigungen oder Abnutzung.
- Melden Sie unsichere Produkte oder Vorfälle an die zuständigen Behörden.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Verwenden Sie nur Standard Carbine Buffers und Rundfedern oder den JP SCSS im KP15.
- Achten Sie darauf, dass der Mindestbuffergewicht von 5.4oz eingehalten wird, um Schäden am Lower Receiver zu vermeiden.
- Verwenden Sie beim CerakoteProzess niedrige Temperaturen (<190 Grad F) und halten Sie das Oberteil an Ort und Stelle, um Verformungen zu vermeiden.
- Beachten Sie, dass der KE Arms KP15 nicht für .458 SOCOM, .50 Beowulf oder .50 BMG empfohlen wird.

Anweisungen für Installation und Nutzung

1. Vorbereitung:

- Überprüfen Sie alle Teile auf Vollständigkeit und Unversehrtheit.
- Stellen Sie sicher, dass Sie alle notwendigen Werkzeuge zur Hand haben.

2. Installation:

- Folgen Sie dem Montageleitfaden des Herstellers für detaillierte Installationsanweisungen.
- Stellen Sie sicher, dass alle Teile ordnungsgemäß montiert und gesichert sind.

3. Nutzung:

- Verwenden Sie das Produkt nur mit kompatiblen Oberteilen in Kalibern wie .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel und 6.8mm SPC.
- Beachten Sie, dass der Lower Receiver auch mit 9mm BlowbackSystemen kompatibel ist, wenn er mit dem Mindestbuffergewicht verwendet wird.
- Achten Sie beim Entfernen des Sicherheitsschalters auf besondere Vorsicht, da StandardSelectoren möglicherweise schwer zu entfernen sind.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Kunststoff und Metallabfällen.

- Stellen Sie sicher, dass alle Teile vor der Entsorgung gereinigt und sicher verpackt sind.

Kontaktinformationen für weitere Unterstützung

- Für Fragen oder weitere Unterstützung wenden Sie sich bitte an den Hersteller oder den Händler, bei dem Sie das Produkt gekauft haben.

Bitte beachten Sie, dass diese Sicherheitshinweise dazu dienen, Ihnen eine sichere und effektive Nutzung des AR15 KP15 COMPLETE LOWER RECEIVER zu ermöglichen. Ihre Sicherheit hat oberste Priorität, und wir danken Ihnen für Ihre Aufmerksamkeit.

Safety Instruction Guide for the AR15 KP15 Complete Lower Receiver

Introduction

Thank you for choosing the AR15 KP15 Complete Lower Receiver. This guide provides important safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before using the receiver.

General Safety Guidelines

- Ensure that you are legally allowed to purchase and own this type of receiver in your jurisdiction.
- This product is legally classified as a receiver. You must be 21 years old to purchase it and a resident of the same state where your transferring dealer is licensed.
- Always treat the firearm as if it is loaded, even when you believe it to be unloaded.
- Store the receiver and any associated components in a secure location, away from unauthorized access, especially by children.
- Regularly inspect the receiver for any signs of wear or damage. Do not use the receiver if it shows any signs of malfunction or damage.
- Follow all local laws and regulations regarding the use and storage of firearms.

Specific Safety Precautions for Use

- Only use standard carbine buffers and round springs or the JP SCSS in the KP15. Using other types may cause damage.
- The KP15 lower receiver is compatible with standard AR15 uppers in various calibers, including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel, and 6.8mm SPC. Ensure compatibility before use.
- When using with 9mm blowback systems, a minimum buffer weight of 5.4oz (carbine) is required. Failure to comply can damage the lower receiver.
- If you intend to Cerakote your KP15, bake at low temperatures (<190 Degrees F) with an upper in place to prevent warping.
- The safety selector spring and detent are designed to load from the top. Use KE Arms recommended selectors for easier removal.
- Do not use the PDQ lever, as it is exclusive to the WWSD complete rifle.

Instructions for Installation and Usage

1. Installation:

- Follow the manufacturer's assembly guide for detailed instructions.
- Ensure that the buffer tube, pistol grip, trigger, and buttstock are properly integrated into the receiver.
- Use the carbine buffer and spring as specified.

2. Usage:

- Always ensure the firearm is pointed in a safe direction when handling.
- Engage the safety selector when the firearm is not in use.
- Regularly check the function of the safety selector, trigger, and other components to ensure they are working as intended.

3. Maintenance:

- Clean the receiver regularly to prevent dirt and debris buildup.
- Inspect the take down and pivot pins for wear. The builtin detents increase durability but should still be checked periodically.

Disposal Instructions

- Dispose of the receiver in accordance with local laws and regulations regarding firearm components.
- If the receiver is damaged beyond repair, contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any safety inquiries or to report unsafe products, please refer to the relevant authorities or your local KE Arms dealer. You can also check the EU's Safety Gate platform for recall updates and safety information.

Conclusion

Your safety and the safety of others is paramount. By following these guidelines and instructions, you can ensure the safe use of the AR15 KP15 Complete Lower Receiver. Always prioritize safety and compliance with local laws when handling firearms.

Guida alle Istruzioni di Sicurezza del Prodotto

Introduzione

Grazie per aver scelto il KE Arms KP15 Complete Lower Receiver. Questo prodotto è progettato per fornire prestazioni elevate e sicurezza durante l'uso. È importante seguire attentamente queste istruzioni di sicurezza per garantire un utilizzo corretto e sicuro del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di leggere e comprendere tutte le istruzioni prima dell'uso.
- Utilizza il prodotto solo per gli scopi previsti e in conformità con le leggi locali.
- Controlla regolarmente il ricevitore per eventuali segni di usura o danni.
- Non utilizzare il ricevitore se presenta danni visibili o se non funziona correttamente.
- Mantieni il prodotto fuori dalla portata dei bambini e di gruppi vulnerabili.
- Segnala qualsiasi prodotto non sicuro o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizza solo buffer e molle per carabina standard o JP SCSS nel KP15.
- Non utilizzare il lever PDQ, in quanto è esclusivo del fucile completo WWSD.
- Prima di assemblare il ricevitore, assicurati che tutte le parti siano compatibili e in buone condizioni.
- Durante l'installazione, segui le istruzioni del produttore per garantire un montaggio corretto.
- Se intendi cerakotare il tuo KP15, segui le raccomandazioni del produttore riguardo alla temperatura di cottura.
- Non utilizzare il ricevitore con munizioni non compatibili, come .458 SOCOM o .50 Beowulf.

Istruzioni per l'Installazione e l'Uso

1. Assemblaggio del Ricevitore

- Rimuovi tutte le parti dal pacchetto e controlla che siano presenti.
- Segui la guida all'assemblaggio fornita dal produttore per installare correttamente il ricevitore.
- Assicurati che il tubo di buffer, il grip e il calcio siano installati in modo sicuro.

2. Uso del Ricevitore

- Dopo aver assemblato il ricevitore, verifica che tutte le parti siano fissate correttamente.
- Carica solo munizioni compatibili e assicurati che il ricevitore sia in buone condizioni prima dell'uso.
- Durante l'uso, mantieni il ricevitore in una posizione sicura e controllata.

3. Manutenzione

- Pulisci regolarmente il ricevitore per mantenerlo in buone condizioni.
- Controlla periodicamente il ricevitore per eventuali segni di usura o danni.
- Se noti danni, interrompi immediatamente l'uso e contatta il produttore.

Istruzioni per lo Smaltimento

- Segui le normative locali per lo smaltimento dei materiali del ricevitore.
- Non gettare il ricevitore in discariche non autorizzate.
- Se il ricevitore è danneggiato, contatta il produttore per ulteriori istruzioni su come procedere.

Informazioni di Contatto per Ulteriore Assistenza

Per ulteriori informazioni o assistenza, contatta il produttore. Assicurati di avere a disposizione il numero di serie del prodotto e altre informazioni pertinenti.

Ricorda che la sicurezza è fondamentale. Segui sempre queste istruzioni per garantire un uso sicuro e responsabile del tuo KE Arms KP15 Complete Lower Receiver.