

BLEMISHED KP-15 LOWER RECEIVER STRIPPED FDE - BLEMMED KP-15 LOWER RECEIVER STRIPPED W/MIL-SPEC SELECTOR

The same great stripped lower, with a little bit lower price due to some cosmetic or trim issues. What makes this stripped lower different? The answer is simple... the KE Arms KP-15 stripped lower receiver is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 stripped lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. Stripped Lowsers Include Pivot and Take Down Pins KP-15 Selector Detent Buttplate 5/64" Roll Pin to Retain Buffer Detent The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. CERAKOTE: If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it **ONCE** for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: BLEMMED KP-15 LOWER RECEIVER STRIPPED W/MIL-SPEC SELECTOR
- Manufacturer: KE ARMS
- Product no.: 100043845
- Mfr. No.: 1-61-99-007
- Cartridge: 5.56 mm NATO
- Color: Flat Dark Earth
- Finish: Anodized

- Make: AR-15
- Style: Stripped
- Delivery weight: 0.907kg

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE KE ARMS](#)
- [English: Safety Instruction Guide for the Blemished KP15 Lower Receiver Stripped FDE](#)

Sicherheitshinweise für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE KE ARMS

Einführung

Vielen Dank, dass du dich für den BLEMISHED KP15 LOWER RECEIVER STRIPPED FDE KE ARMS entschieden hast. Dieser Leitfaden bietet wichtige Sicherheitshinweise und Anweisungen zur sicheren Verwendung und Installation dieses Produkts. Bitte lies alle Informationen sorgfältig durch, um sicherzustellen, dass du das Produkt sicher und effektiv nutzen kannst.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du mindestens 21 Jahre alt bist, um dieses Produkt zu erwerben.
- Verwende das Produkt nur in Übereinstimmung mit den Anweisungen des Herstellers.
- Überprüfe regelmäßig auf mögliche Schäden oder Abnutzungserscheinungen.
- Halte das Produkt außerhalb der Reichweite von Kindern.
- Melde unsichere Produkte oder Unfälle sofort den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwende nur StandardCarbineBuffer und runde Federn oder den JP SCSS im KP15.
- Achte darauf, dass der Buffer Detent mit einem 5/64" Rollpin gesichert ist.
- Vermeide die Verwendung von nicht standardmäßigen Teilen, die die Funktionalität des Lower Receivers beeinträchtigen könnten.
- Verwende nur kompatible AR15Oberteile und halte dich an die empfohlenen Kaliber.
- Bei der Montage des Sicherheitsschalters achte darauf, dass die Feder und der Detent von oben geladen werden.

Anweisungen zur Installation und Nutzung

1. Vorbereitung:

- Überprüfe alle Teile auf Beschädigungen oder Mängel, bevor du mit der Installation beginnst.
- Stelle sicher, dass du einen sauberen und sicheren Arbeitsbereich hast.

2. Installation:

- Montiere den Pistolengriff, den Abzug und den Schaft gemäß den Anweisungen des Herstellers.
- Stelle sicher, dass alle Pins korrekt eingesetzt sind und die eingebaute Detents funktionieren.
- Achte darauf, dass der HammerPinBereich korrekt montiert ist.

3. Nutzung:

- Verwende das Produkt nur in Übereinstimmung mit den geltenden Gesetzen und Vorschriften.
- Überprüfe regelmäßig die Funktionstüchtigkeit des Lower Receivers und der dazugehörigen Teile.

4. Wartung:

- Halte das Produkt sauber und frei von Schmutz oder Ablagerungen.
- Überprüfe regelmäßig auf Abnutzungserscheinungen und tausche beschädigte Teile umgehend aus.

Entsorgungsanweisungen

- Entsorge alle Verpackungsmaterialien gemäß den örtlichen Vorschriften.
- Bei der Entsorgung des Produkts halte dich an die geltenden Gesetze für die Entsorgung von Waffen und Waffenteilen.
- Informiere dich über die örtlichen Vorschriften zur umweltgerechten Entsorgung von Kunststoffmaterialien.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wende dich bitte an den Hersteller oder deinen Händler. Stelle sicher, dass du alle relevanten Informationen bereithältst, um eine schnelle und effektive Unterstützung zu erhalten. Achte darauf, dass du alle Sicherheitsrichtlinien befolgst und das Produkt verantwortungsvoll verwendest.

Safety Instruction Guide for the Blemished KP15 Lower Receiver Stripped FDE

Introduction

Thank you for choosing the Blemished KP15 Lower Receiver Stripped FDE. This guide provides essential safety instructions and usage guidelines to ensure your safety and the optimal performance of this product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you are at least 21 years old and a resident of the same state as your transferring dealer before purchasing this product.
- Always treat the lower receiver as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the lower receiver and any associated components in a secure location, away from children and unauthorized users.
- Regularly inspect the lower receiver for any signs of damage or wear.
- Use only compatible parts and accessories as specified in the product description.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- Use only standard carbine buffers and round springs, or the JP SCSS in the KP15. Using other types can damage the lower receiver.
- The PDQ lever is exclusive to the WWSD complete rifle and cannot be used with this lower receiver.
- Ensure that the buffer detent is properly secured with the 5/64" roll pin to avoid malfunctions.
- The hammer pin area is designed for durability; however, standard AR15 hammer pins can be used. For aesthetic reasons, consider using the KE Arms longer hammer pin.
- When installing the safety selector, use the designated milspec selector or ambi selector for easier removal and installation.
- Do not attempt to modify or alter the lower receiver in any way, as this may compromise its safety and functionality.
- If you intend to Cerakote your KP15, follow the manufacturer's recommendations for temperature and conditions to prevent warping.

Instructions for Installation and Usage

1. **Compatibility Check:** Ensure that your upper receiver is compatible with the KP15 lower receiver. It is compatible with standard AR15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel, and 6.8mm SPC.
2. **Buffer Installation:** Use a carbine buffer and spring. Ensure that the buffer weight is a minimum of 5.4oz to avoid damage to the lower receiver.
3. **Selector Installation:**
 - Load the safety selector spring and detent from the top.
 - Slide the selector over the spring and detent.
 - Ensure proper function before securing the assembly.
4. **Magwell Usage:** The KP15 features a flared magwell for easier magazine insertion. Always ensure magazines are seated properly before firing.
5. **Sling Attachment:** Utilize the MLOK slots at the rear of the stock for sling attachment. Follow the manufacturer's instructions for installation.
6. **Regular Maintenance:** Periodically clean and inspect the lower receiver and all components to ensure optimal performance.

Disposal Instructions

- Dispose of the lower receiver in accordance with local regulations regarding firearm parts and materials.
- If the lower receiver is damaged beyond use, consult local authorities or a licensed dealer for safe disposal methods.

Contact Information for Further Support

For further assistance or questions regarding the Blemished KP15 Lower Receiver Stripped FDE, please refer to the manufacturer's official website or contact the authorized dealer from whom you purchased the product.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your Blemished KP15 Lower Receiver Stripped FDE. Always prioritize safety and compliance with local laws and regulations when handling firearms. Thank you for your attention to these important safety measures.