

AR-15 KP-15 COMPLETE LOWER RECEIVERS MIL-SPEC POLYMER - BLEMMED AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC FDE

Practicality Meets Affordability

What makes this lower different than its counterparts? The answer is simple... the KE Arms KP-15 is a monolithic polymer AR-15 style lower receiver made from injection molded, 30% glass-filled nylon. Its unique design incorporates the buffer tube, pistol grip, trigger and a 13-inch (LOP) buttstock into the receiver as integral components. The result is an affordably priced, lightweight lower receiver. The KE Arms KP-15 lower receiver uses a carbine buffer and spring. The take down and pivot pins have built-in detents, which increases durability by eliminating the spring and detent holes. The buffer detent (should you choose to use it) is held in place with a 5/64" roll pin. The hammer pin area is wider for durability; standard AR-15 hammer pins can still be used, though the KE Arms longer hammer pin is recommended for customers preferring a flush pin for aesthetic reasons. The safety selector spring and detent have been designed to load from the top, then the selector is slid over them. (Standard selectors can work but removing them can be particularly difficult. KE Arms recommends the use of their designated mil-spec selector or ambi selector to make removal easier. Follow the manufacturer's assembly guide for further instructions.) Weight: 1.704 lbs. Compatible with all Mil-Spec fire control groups Compatible with cassette style match triggers Flared magwell Available in black and flat dark earth MLOK Slots at rear of stock for sling attachment Pre-drilled in front for QD socket inserts Uses a standard bolt catch. Cannot accept the PDQ lever. The PDQ lever is exclusive to the WWSD complete rifle. Do NOT use anything other than standard carbine buffers and round springs or the JP SCSS in the KP-15. **WARNING!:** This item is legally classified as a receiver. You Must be 21 years old to purchase this item and a resident of the same state your transferring dealer is licensed in. The KE Arms KP-15 is compatible with standard AR-15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel and 6.8mm SPC. The lower receiver is also compatible with 9mm blowback systems, when used with a minimum buffer weight of 5.4oz (carbine). Failure to use a minimum buffer weight of 5.4oz can damage the lower. **CERAKOTE:** If you intend to Cerakote your KP-15 the manufacturer recommends the bake should be done at low temperatures (<190 Degrees F) and with an upper in place to prevent warping. **WARRANTY:** The KE Arms KP-15 has a lifetime warranty for normal use. If the receiver breaks through misuse or neglect, KE Arms will replace it ONCE for \$65.00. **NOTE:** Not recommended for .458 SOCOM, .50 Beowulf or .50 BMG. Please contact KE Arms if you intend to register your KP-15 lower receiver as an NFA weapon.



Attributes

- Name: BLEMED AR-15 KP-15 COMPLETE LOWER RECEIVER MIL-SPEC FDE
- Manufacturer: KE ARMS
- Product no.: 100043846
- Mfr. No.: 1-61-99-008
- Cartridge: 5.56 mm NATO
- Color: Flat Dark Earth

- Finish: Anodized
- Make: AR-15
- Style: Complete
- Delivery weight: 0.907kg

Item details

Made in USA

US export classification: 0A509.b

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den AR15 KP15 COMPLETE LOWER RECEIVER](#)
- [English: Safety Instruction Guide for KE Arms KP15 Complete Lower Receiver](#)

Sicherheitshinweise für den AR15 KP15 COMPLETE LOWER RECEIVER

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des AR15 KP15 COMPLETE LOWER RECEIVERS. Um eine sichere Nutzung und Handhabung zu gewährleisten, ist es wichtig, diese Sicherheitshinweise sorgfältig zu lesen und zu befolgen. Dieser Leitfaden informiert Sie über die allgemeinen Sicherheitsrichtlinien, spezifische Sicherheitsvorkehrungen, Installations und Nutzungshinweise sowie Entsorgungsanweisungen.

Allgemeine Sicherheitsrichtlinien

- Dieser Lower Receiver ist als Waffe eingestuft. Du musst mindestens 21 Jahre alt sein, um ihn zu erwerben.
- Verwende nur Standard Carbine Buffers und Rundfedern oder den JP SCSS im KP15.
- Achte darauf, dass der Lower Receiver in dem Bundesstaat verwendet wird, in dem dein übertragender Händler lizenziert ist.
- Halte den Lower Receiver von Kindern und schutzbedürftigen Personen fern.
- Melde unsichere Produkte oder Unfälle umgehend den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- **Verwendung von Zubehör:** Verwende nur kompatibles Zubehör. Der KE Arms KP15 ist mit Standard AR15 Oberteilen in Kalibern wie .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel und 6.8mm SPC kompatibel.
- **Sicherheitsschalter:** Achte darauf, dass der Sicherheitsschalter ordnungsgemäß funktioniert. Verwende den empfohlenen milspec Selector oder ambi Selector für eine einfachere Handhabung.
- **Buffer Gewicht:** Verwende einen Mindestbuffergewicht von 5.4oz (Carbine), um Schäden am Lower Receiver zu vermeiden.
- **Cerakote:** Wenn du den KP15 cerakoten möchtest, achte darauf, dass dies bei niedrigen Temperaturen (<190 Grad F) und mit einem Oberteil an Ort und Stelle erfolgt, um Verformungen zu vermeiden.

Anweisungen für Installation und Nutzung

1. **Montage:** Folge dem Montageleitfaden des Herstellers für die Installation des Lower Receivers. Achte darauf, dass alle Komponenten ordnungsgemäß installiert sind.
2. **Pistolengriff und Abzug:** Stelle sicher, dass der Pistolengriff und der Abzug fest und sicher montiert sind.
3. **Buffer Tube:** Integriere den Buffer Tube gemäß den Anweisungen des Herstellers.
4. **Prüfung auf Funktionalität:** Überprüfe nach der Montage alle Funktionen des Lower Receivers, einschließlich des Sicherheitsschalters und des Abzugs.
5. **Regelmäßige Wartung:** Führe regelmäßige Wartungen durch, um die Funktionalität und Sicherheit deines Lower Receivers zu gewährleisten.

Entsorgungsanweisungen

- Entsorge den Lower Receiver und alle zugehörigen Teile gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Kontaktieren Sie lokale Behörden oder Entsorgungsstellen, um Informationen über die ordnungsgemäße Entsorgung von Waffenbestandteilen zu erhalten.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung zu diesem Produkt wende dich bitte an den Hersteller oder deinen Fachhändler. Achte darauf, alle Sicherheitsrichtlinien zu befolgen, um eine sichere Nutzung zu gewährleisten.

Safety Instruction Guide for KE Arms KP15 Complete Lower Receiver

Introduction

Thank you for choosing the KE Arms KP15 Complete Lower Receiver. This guide provides important safety instructions and guidelines to ensure the safe use and handling of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure you are at least 21 years old to purchase and use this product.
- Always treat the lower receiver as if it is loaded.
- Store the lower receiver in a secure location, away from children and unauthorized users.
- Use only standard carbine buffers and round springs or the JP SCSS in the KP15.
- Do not use the PDQ lever as it is exclusive to the WWSD complete rifle.
- Inspect the lower receiver regularly for any signs of wear or damage.
- If you experience any issues, discontinue use immediately and contact a qualified gunsmith.

Specific Safety Precautions for Use

- The KE Arms KP15 is legally classified as a receiver; follow all local laws regarding its use.
- Ensure compatibility with AR15 uppers in calibers including .223/5.56mm NATO, .300 Blackout, 6.5mm Grendel, and 6.8mm SPC.
- For 9mm blowback systems, use a minimum buffer weight of 5.4oz (carbine) to avoid damage.
- If you intend to Cerakote your KP15, follow the manufacturer's recommendations for lowtemperature baking (<190 Degrees F) to prevent warping.
- The safety selector spring and detent must be loaded from the top; use designated milspec selectors to ease removal.

Instructions for Installation and Usage

1. Assembly:

- Follow the manufacturer's assembly guide for detailed instructions.
- Ensure all components are compatible and securely installed.

2. Buffer Tube Installation:

- Install the buffer tube into the integrated receiver.
- Use a carbine buffer and spring as specified.

3. Trigger and Safety Selector:

- Follow the assembly guide for proper installation of the trigger and safety selector.
- Ensure the safety selector is functioning correctly before use.

4. Final Checks:

- After assembly, conduct a thorough inspection of the lower receiver.
- Ensure all pins and components are securely in place.

5. Usage:

- Always handle the firearm in a safe manner.
- Follow all local regulations regarding firearm operation and ownership.

Disposal Instructions

- Dispose of the KE Arms KP15 in accordance with local regulations.
- If the product is damaged beyond repair, consult local authorities for proper disposal methods.
- Do not discard in regular waste; ensure it is disposed of safely to prevent unauthorized use.

Contact Information for Further Support

For any inquiries regarding safety, assembly, or product concerns, please reach out to the KE Arms support team or consult your local firearms expert.

By following these guidelines, you can help ensure safe and responsible use of your KE Arms KP15 Complete Lower Receiver. Thank you for your attention to safety!