

SRO/RMR HD BATTERY CAP TOOL 1/4" - TRIJICON SRO/RMR HD BATTERY CAP TOOL 1/4"

TRIJICON SRO/RMR HD BATTERY CAP TOOL 1/4" The Trijicon SRO/RMR HD Battery Cap Tool 1/4" is a compact, precision-built accessory designed to make maintaining your Trijicon optics fast, reliable, and hassle-free. Crafted from durable steel with a sleek black finish, this 2-inch tool delivers long-lasting performance in a lightweight .5 oz package. Its 0.5-inch width provides a comfortable, controlled grip for secure handling during battery cap adjustments. Engineered specifically for the SRO and RMR HD, this tool ensures proper torque application—no more than 9 in-lbs—to protect your optic from electrical issues or potential damage. Whether you're a competitive shooter, tactical professional, or dedicated enthusiast, this purpose-built Trijicon tool keeps your red dot running at peak performance. SPECS Weight: .5 oz. (14.17g) Housing Material: Steel Finish: Black Length: 2.0 in (50.8mm) Width: 0.5 in (12.7mm) NOTE: The SRO and RMR HD battery cap requires no more than 9 in-lbs. of torque to be properly seated for optimal functionality. Any more than 9 in-lbs. can cause electrical issues, damage to the electrical system or the battery cap itself.



Attributes

- Name: TRIJICON SRO/RMR HD BATTERY CAP TOOL 1/4"
- Manufacturer: TRIJICON
- Product no.: 430116707
- Mfr. No.: AC30022
- Delivery weight: 0.032kg
- Shipping height: 76mm
- Shipping width: 54mm
- Shipping length: 146mm
- UPC: 719307624023

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Trijicon SRO/RMR HD Battery Cap Tool 1/4" Safety Instruction Guide](#)

Trijicon SRO/RMR HD Battery Cap Tool 1/4" Safety Instruction Guide

Introduction

Thank you for choosing the Trijicon SRO/RMR HD Battery Cap Tool 1/4". This compact and precisionbuilt tool is designed to help you maintain your Trijicon optics effectively. Please read this safety instruction guide carefully to ensure safe and proper use of the product.

General Safety Guidelines

- Ensure safe use of the Trijicon SRO/RMR HD Battery Cap Tool by following these guidelines:
 - Always use the tool as intended, following the manufacturer's instructions.
 - Store the tool in a safe place, out of reach of children and vulnerable individuals.
 - Inspect the tool regularly for any signs of wear or damage before use.
 - Do not use the tool if it is damaged or if parts are missing.
 - Be mindful of your surroundings when using the tool to avoid accidents.

Specific Safety Precautions for Use

- To ensure safe operation of the Trijicon SRO/RMR HD Battery Cap Tool, observe the following precautions:
 - Use the tool only for adjusting the battery cap on Trijicon SRO and RMR HD optics.
 - Apply no more than 9 inlbs. of torque when securing the battery cap to prevent electrical issues or damage.
 - Always maintain a firm grip on the tool during use to ensure controlled handling.
 - Avoid using excessive force when adjusting the battery cap to prevent stripping or damaging the cap or optic.
 - If you experience resistance while turning the tool, stop and reassess to avoid damage.

Instructions for Installation and Usage

- Follow these steps for proper installation and usage of the Trijicon SRO/RMR HD Battery Cap Tool:
 1. **Preparation:** Ensure your workspace is clean and welllit. Gather your Trijicon optic and the battery cap tool.
 2. **Positioning the Tool:** Align the tool with the battery cap of your Trijicon SRO or RMR HD optic.
 3. **Applying Torque:**
 - Turn the tool clockwise to tighten the battery cap.
 - Use a torque of no more than 9 inlbs. to secure the cap properly.
 4. **Final Check:** After securing the battery cap, check to ensure it is snug but not overly tight.
 5. **Storage:** After use, store the tool in a safe location to prevent loss or damage.

Disposal Instructions

- When the Trijicon SRO/RMR HD Battery Cap Tool reaches the end of its life or is no longer usable:
 - Dispose of the tool in accordance with local regulations for metal waste.
 - Do not dispose of the tool in regular household waste.
 - Consider recycling the tool if possible.

Contact Information for Further Support

- For any safety inquiries or support regarding the Trijicon SRO/RMR HD Battery Cap Tool, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of your Trijicon SRO/RMR HD Battery Cap Tool 1/4". Always prioritize safety and proper handling to maintain the performance of your Trijicon optics. Thank you for choosing Trijicon.