

RECOIL SPRINGS FOR SIG SAUER P320® COMPACT - ISMI RECOIL SPRING-12LBS FOR SIG SAUER P320 COMPACT

INTEGRATED SYSTEMS MANAGEMENT RECOIL SPRINGS FOR SIG SAUER P320® COMPACT Chrome silicon single recoil spring for ISMI guide rod Compatibility: Sig Sauer P320C



Attributes

- Name: ISMI RECOIL SPRING-12LBS FOR SIG SAUER P320 COMPACT
- Manufacturer: ISMI
- Product no.: 430117250
- Mfr. No.: P320C-12
- Model: P320 M18
- Pounds: 12 lbs
- Weapon type: Sig Sauer
- Delivery weight: 0.159kg
- Shipping height: 203mm
- Shipping width: 76mm
- Shipping length: 9mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT](#)

Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT

Introduction

Thank you for purchasing the ISMI Recoil Spring (12 lbs) for the Sig Sauer P320® Compact. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the recoil spring is compatible with your specific firearm model (Sig Sauer P320C).
- Always handle firearms responsibly and follow all applicable laws and regulations.
- Store the recoil spring in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the recoil spring for wear or damage before use.
- Do not attempt to modify or alter the recoil spring in any way.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure that the firearm is unloaded before installing or removing the recoil spring.
- Follow the manufacturer's instructions for installation and usage to avoid potential hazards.
- Be aware of the potential for misfires or accidental discharge; always keep the firearm pointed in a safe direction.
- If you experience any issues with the recoil spring during use, cease operation immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (if required).

2. Installation

- Remove the slide and recoil spring assembly from the firearm.
- Carefully remove the old recoil spring from the guide rod.
- Install the ISMI recoil spring onto the guide rod, ensuring it is seated properly.
- Reassemble the slide onto the firearm, ensuring all components are correctly aligned.

3. Usage

- Test the firearm in a safe environment to ensure proper function of the recoil spring.
- Regularly check the recoil spring for signs of wear or damage during routine maintenance.

Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations.
- Do not dispose of the recoil spring in regular household waste.
- Consider recycling options if available.

Contact Information for Further Support

For any safety inquiries or concerns regarding the ISMI Recoil Spring, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure the proper use and longevity of your ISMI Recoil Spring for the Sig Sauer P320® Compact. Always prioritize safety and responsible handling of firearms. Thank you for choosing our product.