

RECOIL SPRINGS FOR SIG SAUER P320® COMPACT - ISMI RECOIL SPRING-20LBS FOR SIG SAUER P320 COMPACT

INTEGRATED SYSTEMS MANAGEMENT RECOIL SPRINGS FOR SIG SAUER P320® COMPACT Chrome silicon single recoil spring for ISMI guide rod Compatibility: Sig Sauer P320C



Attributes

- Name: ISMI RECOIL SPRING-20LBS FOR SIG SAUER P320 COMPACT
- Manufacturer: ISMI
- Product no.: 430117255
- Mfr. No.: P320C-20
- Model: P320 M18
- Pounds: 20 lbs
- Weapon type: Sig Sauer
- Delivery weight: 0.159kg
- Shipping height: 203mm
- Shipping width: 76mm
- Shipping length: 9mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT](#)

Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT

Introduction

Thank you for choosing the ISMI Recoil Spring 20lbs for your Sig Sauer P320 Compact. This guide provides essential safety instructions and information to ensure safe and effective use of the product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the recoil spring is compatible with your specific firearm model, Sig Sauer P320 Compact.
- Always handle firearms with care and follow all safety protocols.
- Store the recoil spring in a safe and dry place, away from children and unauthorized users.
- Regularly inspect the recoil spring for signs of wear or damage before each use.
- If you experience any malfunctions or unusual behavior during use, cease operation immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Only use the recoil spring as intended, specifically for the Sig Sauer P320 Compact.
- Avoid using excessive force when installing or removing the recoil spring.
- Wear appropriate protective gear, such as safety glasses, when handling firearms.
- Keep your fingers and other body parts clear of any moving parts during installation and usage.
- Do not attempt to modify the recoil spring or use it in any unintended manner.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools for installation, including a guide rod tool if needed.

2. Installation Steps

- Remove the slide from the firearm according to the manufacturer's instructions.
- Locate the guide rod assembly and remove the existing recoil spring.
- Carefully install the ISMI recoil spring onto the guide rod.
- Ensure that the spring is seated properly and securely.

3. Reassembly

- Reattach the slide to the firearm, ensuring all components are aligned correctly.
- Perform a function check to verify that the firearm operates correctly with the new recoil spring.

4. Usage

- When firing, maintain a proper grip and stance.
- Monitor the firearm for any unusual sounds or behaviors during operation.
- After use, clean the firearm and inspect the recoil spring for any signs of wear.

Disposal Instructions

- Dispose of any damaged or worn recoil springs in accordance with local regulations.
- Do not dispose of recoil springs in regular household waste. Instead, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding this product, please contact the manufacturer's customer support or your local authorized dealer.

Please ensure that you adhere to all safety guidelines outlined in this document to promote safe usage of the ISMI Recoil Spring for your Sig Sauer P320 Compact. Your safety is our priority.