

TRIGGER W/BAR FOR GLOCK 43/43X/48 - TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 BLACK/BLACK

TYRANT CNC TRIGGER W/BAR FOR GLOCK 43/43X/48 Enjoy highly accurate initial and follow up shots at all times with the Glock 43/43x/48 compatible trigger's superior trigger resets. The I.T.T.S. is armed with a 30 percent power spring to ensure lightning-fast resets after every shot. With our power spring in use, the trigger indicates a more pronounced and defined wall, all while giving you positive feedback when resetting. Overall, the I.T.T.S. boasts a stronger reset over other standard triggers, making it one of the best performing Glock triggers that you can find. Optimize every shot you take with the precision, efficiency and durability of the I.T.T.S. Trigger for the Glock 43x, G43, or G48. **FLAT FACED TRIGGER FEATURES** Get the most out of your Glock 43x, G43, G48 trigger with this high-performing hybrid model. The Tyrant CNC I.T.T.S. is a cross between a curved trigger and a flat faced trigger, letting you enjoy the best of both worlds. With help from flat faced features, our Glock trigger helps ensure a uniform trigger pull with every shot.



CURVED TRIGGER FEATURES Reap the benefits of a curved trigger along with a flat faced trigger when you use our Glock compatible trigger. This trigger is intentionally designed with some of the best elements of a curved trigger to make every shot as efficient and direct as possible. Because this Glock compatible trigger is highly influenced by the setup of a curved trigger, the trigger's lip has an enhanced curve feature that helps create consistency on initial and follow up shots. Additionally, you have the opportunity to benefit from the comfortable, intuitive setup of the I.T.T.S. The curved features of this product allow for a taller trigger, which helps provide a greater sense of comfort for users with larger hands. **HIGH DURABILITY** Enjoy your Glock 43x, / G43x /, G48 trigger for years to come with help from its highly durable design. Every feature of this product is built to ensure that it lasts for an extended period of time, even with continued use. The I.T.T.S. is also made with set screws in lieu of pins to boost the strength and sturdiness of the trigger. Not only do these screws improve the overall performance of the product, but they also simplify every step of the maintenance process for optimal ease of use. **SPECS Platform:** Glock Designed For Models: G43, G43X, G48 **Glock Generation:** Generation 3, Generation 4, Generation 5, Crossover **Fitment Notes:** GLOCK 43, 43X, 48 **Component:** Trigger **DISCLAIMER:** "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.

Attributes

- Name: TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 BLACK/BLACK
- Manufacturer: TYRANT CNC
- Product no.: 430118564
- Mfr. No.: TD-G43TRIG-BLK-BLK-BAR
- Finish: Black
- Model: 43X,49,43
- Model Number: Black w/Black
- Weapon type: Glock

- Delivery weight: 0.018kg
- Shipping height: 102mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 764046032837

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48](#)
- [English: Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC W/BAR per Glock 43/43X/48](#)

Sicherheitshinweise für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48

Einleitung

Herzlich willkommen zu den Sicherheitshinweisen für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48. Diese Anleitung soll dir helfen, das Produkt sicher und effektiv zu nutzen. Bitte lies die folgenden Informationen sorgfältig durch, um mögliche Risiken zu vermeiden und die Sicherheit zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du das Produkt nur in Übereinstimmung mit den Anweisungen des Herstellers verwendest.
- Halte dich an alle geltenden Gesetze und Vorschriften in deinem Land bezüglich der Verwendung von Feuerwaffen und Zubehör.
- Überprüfe regelmäßig den Zustand des Triggers und der Waffe, um sicherzustellen, dass keine Abnutzung oder Beschädigung vorliegt.
- Lagere das Produkt an einem sicheren Ort, der für Kinder unzugänglich ist.
- Melde unsichere Produkte oder Vorfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwende den Trigger nur mit GLOCKModellen, die in den Spezifikationen aufgeführt sind (G43, G43X, G48).
- Achte darauf, dass der Trigger korrekt installiert ist, um Fehlfunktionen zu vermeiden.
- Vermeide es, den Trigger zu manipulieren oder zu modifizieren, um die Sicherheit nicht zu gefährden.
- Trage immer geeignete Schutzausrüstung, wenn du mit der Waffe schießt.
- Halte beim Schießen immer den Finger vom Abzug, bis du bereit bist, zu feuern.

Anweisungen zur Installation und Nutzung

1. Installation des Triggers:

- Überprüfe, ob alle Teile des TYRANT CNC TRIGGER W/BAR vorhanden sind.
- Entferne den alten Trigger gemäß den Anweisungen des Herstellers.
- Installiere den TYRANT CNC TRIGGER W/BAR gemäß der beiliegenden Installationsanleitung.
- Stelle sicher, dass der Trigger fest sitzt und keine Spielräume aufweist.

2. Nutzung des Triggers:

- Vergewissere dich, dass die Waffe entladen ist, bevor du den Trigger betätigst.
- Übe den Abzug mit verschiedenen Schussfolgen, um ein Gefühl für die Auslösung zu bekommen.
- Achte darauf, dass du während des Schießens eine sichere Haltung einnimmst.

Entsorgungsanweisungen

- Entsorge alle Verpackungsmaterialien gemäß den örtlichen Vorschriften für Abfallentsorgung.
- Wenn du den Trigger nicht mehr benötigst, stelle sicher, dass er unbrauchbar gemacht wird, um eine unsachgemäße Verwendung zu verhindern.
- Gib den Trigger nicht an Dritte weiter, es sei denn, sie sind im Besitz einer gültigen Waffenlizenz.

Kontaktinformation für weitere Unterstützung

Für Fragen oder Unterstützung bezüglich des TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48 wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Sie können dir weitere Informationen und Unterstützung bieten.

Vielen Dank, dass du dir die Zeit genommen hast, diese Sicherheitshinweise zu lesen. Deine Sicherheit hat für uns oberste Priorität.

Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48

Introduction

Thank you for choosing the TYRANT CNC Trigger with Bar for your Glock 43, 43X, or 48. This product is designed to enhance your shooting experience through improved performance and safety. This guide provides important safety instructions, usage guidelines, and contact information for further support.

General Safety Guidelines

- Always treat the trigger as if it is loaded.
- Ensure the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store the trigger and firearm in a secure location, away from children and unauthorized users.
- Regularly inspect the trigger for wear and tear. Replace if any defects are found.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Always wear appropriate eye and ear protection when using firearms.

Specific Safety Precautions for Use

- Ensure the trigger is compatible with your Glock model (G43, G43X, G48) before installation.
- Do not attempt to modify the trigger or its components in any way.
- Use only the recommended tools for installation to avoid damaging the trigger or firearm.
- When installing the trigger, ensure the firearm is unloaded and pointed in a safe direction.
- If you experience any malfunctions or issues with the trigger, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock is unloaded. Remove the magazine and check the chamber.
- Gather necessary tools: a punch tool and a screwdriver.

2. Installation:

- Remove the factory trigger by following the manufacturer's instructions for your Glock model.
- Carefully install the TYRANT CNC Trigger with Bar, ensuring it is seated properly.
- Use set screws instead of pins to secure the trigger, enhancing durability and ease of maintenance.
- Doublecheck all connections to ensure stability.

3. Usage:

- Familiarize yourself with the trigger's features, including the flatfaced and curved elements.
- Practice safe shooting techniques and ensure you have a proper grip on your firearm.
- Monitor your trigger pulls for consistency and adjust your technique as necessary.

Disposal Instructions

- Dispose of the trigger responsibly and in accordance with local regulations.
- Do not dispose of the trigger in regular household waste.

- Consider contacting a local recycling center or hazardous waste facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TYRANT CNC Trigger with Bar, please refer to the manufacturer's website or customer service resources for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and enjoyable shooting experience with your TYRANT CNC Trigger. Remember to always prioritize safety and compliance with local laws when using and maintaining your firearm.

Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC W/BAR per Glock 43/43X/48

Introduzione

Grazie per aver scelto il grilletto TYRANT CNC W/BAR per Glock 43/43X/48. Questo prodotto è progettato per migliorare la tua esperienza di tiro, offrendo prestazioni elevate e una maggiore precisione. È importante seguire le istruzioni di sicurezza e utilizzo per garantire un uso sicuro e ottimale del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il grilletto solo con le armi da fuoco compatibili, ovvero Glock 43, 43X e 48.
- Leggi attentamente tutte le istruzioni prima dell'installazione e dell'uso.
- Conserva il grilletto in un luogo sicuro, lontano dalla portata dei bambini e di persone non autorizzate.
- Controlla regolarmente il grilletto per eventuali segni di usura o danni. Non utilizzare il prodotto se presenta difetti visibili.
- Segnala eventuali incidenti o prodotti non sicuri alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Non utilizzare il grilletto se non sei un tiratore esperto. Se sei un principiante, chiedi assistenza a un professionista.
- Durante l'uso, assicurati di indossare occhiali di sicurezza e protezioni per le orecchie.
- Non puntare mai l'arma verso persone o animali.
- Assicurati che l'arma sia scarica prima di installare o rimuovere il grilletto.
- Segui sempre le istruzioni del produttore per la manutenzione e la pulizia dell'arma.

Istruzioni per l'Installazione e l'Uso

1. Installazione del Grilletto:

- Assicurati che l'arma sia completamente scarica.
- Rimuovi il grilletto originale seguendo le istruzioni del produttore dell'arma.
- Inserisci il grilletto TYRANT CNC W/BAR nel suo alloggiamento.
- Fissa il grilletto utilizzando le viti di fissaggio fornite, assicurandoti che siano ben serrate.
- Controlla che il grilletto funzioni correttamente prima dell'uso.

2. Uso del Grilletto:

- Assicurati di avere una buona presa sull'arma.
- Esegui un tiro di prova in un ambiente sicuro.
- Valuta il feedback del grilletto durante il tiro e apporta eventuali aggiustamenti necessari.

Istruzioni per lo Smaltimento

- Non gettare il grilletto nel normale rifiuto domestico.
- Segui le normative locali per lo smaltimento di prodotti di armi e accessori.
- Contatta un centro di raccolta autorizzato per il corretto smaltimento.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni sulla sicurezza e sull'uso del grilletto TYRANT CNC, consulta il sito web ufficiale o

contatta il rivenditore presso il quale hai acquistato il prodotto. Assicurati di avere a disposizione il numero di modello e le informazioni di acquisto.

Conclusione

Il grilletto TYRANT CNC W/BAR per Glock 43/43X/48 è un prodotto di alta qualità progettato per migliorare le tue prestazioni di tiro. Seguendo queste istruzioni di sicurezza e utilizzo, potrai massimizzare la tua esperienza di tiro in modo sicuro e responsabile.