

TRIGGER W/BAR FOR GLOCK 43/43X/48 - TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GOLD/BLACK

TYRANT CNC TRIGGER W/BAR FOR GLOCK 43/43X/48 Enjoy highly accurate initial and follow up shots at all times with the Glock 43/43x/48 compatible trigger's superior trigger resets. The I.T.T.S. is armed with a 30 percent power spring to ensure lightning-fast resets after every shot. With our power spring in use, the trigger indicates a more pronounced and defined wall, all while giving you positive feedback when resetting. Overall, the I.T.T.S. boasts a stronger reset over other standard triggers, making it one of the best performing Glock triggers that you can find. Optimize every shot you take with the precision, efficiency and durability of the I.T.T.S. Trigger for the Glock 43x, G43, or G48. **FLAT FACED TRIGGER FEATURES** Get the most out of your Glock 43x, G43, G48 trigger with this high-performing hybrid model. The Tyrant CNC I.T.T.S. is a cross between a curved trigger and a flat faced trigger, letting you enjoy the best of both worlds. With help from flat faced features, our Glock trigger helps ensure a uniform trigger pull with every shot.



CURVED TRIGGER FEATURES Reap the benefits of a curved trigger along with a flat faced trigger when you use our Glock compatible trigger. This trigger is intentionally designed with some of the best elements of a curved trigger to make every shot as efficient and direct as possible. Because this Glock compatible trigger is highly influenced by the setup of a curved trigger, the trigger's lip has an enhanced curve feature that helps create consistency on initial and follow up shots. Additionally, you have the opportunity to benefit from the comfortable, intuitive setup of the I.T.T.S. The curved features of this product allow for a taller trigger, which helps provide a greater sense of comfort for users with larger hands. **HIGH DURABILITY** Enjoy your Glock 43x, / G43x /, G48 trigger for years to come with help from its highly durable design. Every feature of this product is built to ensure that it lasts for an extended period of time, even with continued use. The I.T.T.S. is also made with set screws in lieu of pins to boost the strength and sturdiness of the trigger. Not only do these screws improve the overall performance of the product, but they also simplify every step of the maintenance process for optimal ease of use. **SPECS Platform:** Glock Designed For Models: G43, G43X, G48 **Glock Generation:** Generation 3, Generation 4, Generation 5, Crossover **Fitment Notes:** GLOCK 43, 43X, 48 **Component:** Trigger **DISCLAIMER:** "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.

Attributes

- Name: TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GOLD/BLACK
- Manufacturer: TYRANT CNC
- Product no.: 430118565
- Mfr. No.: TD-G43TRIG-GOLD-BLK-BAR
- Finish: Gold/Black
- Model: 43X,43
- Model Number: Gold w/Black
- Weapon type: Glock

- Delivery weight: 0.018kg
- Shipping height: 102mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 764046032851

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den TRIGGER W/BAR FÜR GLOCK 43/43X/48](#)
- [English: Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48 TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GOLD/BLACK](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC per Glock 43/43X/48](#)

Sicherheitshinweise für den TRIGGER W/BAR FÜR GLOCK 43/43X/48

Einführung

Willkommen zu deinem neuen TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48. Dieser Guide bietet wichtige Informationen zur sicheren Verwendung, Installation und Entsorgung des Produkts. Bitte nimm dir die Zeit, alle Anweisungen sorgfältig zu lesen und zu befolgen, um sicherzustellen, dass du das Produkt sicher und effizient nutzen kannst.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass das Produkt nur für die angegebenen GLOCKModelle (G43, G43X, G48) verwendet wird.
- Verwende das Produkt nur in Übereinstimmung mit den geltenden Gesetzen und Vorschriften deines Landes.
- Halte das Produkt außerhalb der Reichweite von Kindern und schütze es vor unbefugtem Zugriff.
- Überprüfe regelmäßig das Produkt auf Anzeichen von Verschleiß oder Beschädigung.
- Informiere dich über Rückrufaktionen und Sicherheitswarnungen, die auf der EU Safety Gate Plattform veröffentlicht werden.

Spezifische Sicherheitsvorkehrungen für die Nutzung

- Verwende den Trigger nur, wenn du mit der Handhabung von Schusswaffen vertraut bist.
- Achte darauf, dass die Waffe entladen ist, bevor du mit der Installation oder Wartung des Triggers beginnst.
- Trage immer geeignete Schutzausrüstung, wie z.B. Schutzbrille, wenn du mit dem Trigger arbeitest.
- Vermeide es, den Trigger in feuchter oder nasser Umgebung zu verwenden, um Korrosion zu verhindern.
- Bei Anzeichen von Fehlfunktionen oder Problemen, kontaktiere einen Fachmann, um das Produkt überprüfen zu lassen.

Anweisungen für Installation und Nutzung

Installation

1. Vorbereitung

- Stelle sicher, dass die Waffe entladen ist.
- Lege alle benötigten Werkzeuge bereit, wie z.B. Schraubendreher und einen geeigneten Platz für die Installation.

2. Trigger entfernen

- Entferne den alten Trigger gemäß den Anweisungen des Herstellers.
- Achte darauf, alle Teile sorgfältig zu lagern.

3. Neuen Trigger installieren

- Setze den TYRANT CNC TRIGGER W/BAR gemäß der beiliegenden Anleitung ein.
- Stelle sicher, dass alle Schrauben fest angezogen sind, um die Stabilität des Triggers zu gewährleisten.

4. Funktionstest

- Nach der Installation, führe einen Funktionstest durch, um sicherzustellen, dass der Trigger ordnungsgemäß funktioniert.
- Überprüfe die Rückstellung und das Feedback des Triggers.

Nutzung

- Halte beim Schießen immer eine sichere Handhabung der Waffe ein.
- Achte darauf, dass du die Waffe in einem sicheren Bereich abfeuerst.
- Stelle sicher, dass du alle Sicherheitsvorkehrungen befolgst, die für den sicheren Gebrauch von Schusswaffen erforderlich sind.

Entsorgungsanweisungen

- Entsorge das Produkt und alle dazugehörigen Teile gemäß den örtlichen Vorschriften für die Entsorgung von Schusswaffen und Zubehör.
- Informiere dich über spezielle Entsorgungsstellen für gefährliche Abfälle in deiner Nähe.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder bei Fragen zu deinem Produkt, konsultiere die Website des Herstellers oder kontaktiere den Kundendienst. Stelle sicher, dass du alle relevanten Informationen zu deinem Produkt bereithältst, um eine schnelle und effektive Unterstützung zu erhalten.

Bitte beachte, dass die Sicherheit bei der Verwendung von Schusswaffen von größter Bedeutung ist. Befolge diese Anweisungen sorgfältig, um ein sicheres und effektives Schießerlebnis zu gewährleisten.

Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48 TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GOLD/BLACK

Introduction

Thank you for choosing the TYRANT CNC Trigger with Bar for your Glock 43, 43X, or 48. This product is designed to enhance your shooting experience by providing superior trigger resets and performance. However, it is important to follow safety guidelines to ensure safe usage and maintenance. This guide provides essential safety instructions, precautions, and disposal information in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat the trigger as if it is loaded.
- Keep the trigger out of reach of children and unauthorized users.
- Ensure that the firearm is unloaded before installing or adjusting the trigger.
- Use the trigger only with compatible Glock models: G43, G43X, G48.
- Regularly inspect the trigger for wear and tear.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Precautions:**
 - Ensure the firearm is unloaded before beginning installation.
 - Use appropriate tools to avoid damaging the trigger or firearm.
- **Usage Precautions:**
 - Always maintain proper firearm handling practices.
 - Avoid using the trigger in adverse weather conditions that could affect performance.
 - Do not modify the trigger or firearm in any unauthorized manner.
- **Maintenance Precautions:**
 - Regularly clean and maintain the trigger according to manufacturer guidelines.
 - Use only recommended cleaning products to avoid damaging the trigger.

Instructions for Installation and Usage

1. Installation Instructions:

- Ensure your Glock is unloaded.
- Remove the slide from the frame of the firearm.
- Carefully remove the existing trigger and trigger bar.
- Install the TYRANT CNC Trigger by following these steps:
 - Align the trigger bar with the trigger housing.
 - Secure the trigger in place using set screws provided.
 - Ensure that the trigger resets properly before reassembling the firearm.
- Reassemble the firearm and conduct a function check to ensure proper operation.

2. Usage Instructions:

- Before shooting, familiarize yourself with the trigger's feel and reset.
- Practice dry firing in a safe environment to get accustomed to the trigger.

- Always follow safe shooting practices and be aware of your surroundings.

Disposal Instructions

- Dispose of the trigger in accordance with local regulations regarding electronic and firearm components.
- Do not dispose of the trigger in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the TYRANT CNC Trigger, please consult the manufacturer's documentation or reach out to the retailer where the product was purchased for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your TYRANT CNC Trigger for Glock models. Always prioritize safety and remain informed about best practices for firearm handling and maintenance.

Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC per Glock 43/43X/48

Introduzione

Grazie per aver scelto il Grilletto TYRANT CNC per Glock 43/43X/48. Questa guida fornisce informazioni importanti per garantire un uso sicuro e corretto del prodotto. È fondamentale seguire queste istruzioni per massimizzare la sicurezza e le prestazioni del grilletto.

Linee Guida Generali di Sicurezza

- Assicurarsi che il grilletto non sia installato su una pistola carica.
- Leggere attentamente tutte le istruzioni prima dell'installazione e dell'uso.
- Conservare il grilletto in un luogo sicuro, lontano dalla portata di bambini e persone non autorizzate.
- Segnalare eventuali prodotti non sicuri o incidenti alle autorità competenti.
- Controllare regolarmente gli aggiornamenti sulle procedure di richiamo sulla piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizzare sempre il grilletto in conformità con le normative locali e nazionali sulle armi da fuoco.
- Indossare occhiali protettivi e protezioni per le orecchie durante l'uso della pistola.
- Non utilizzare il grilletto se presenta segni di danno o usura.
- Evitare di modificare il grilletto o la pistola in modi non approvati dal produttore.
- Assicurarsi che la pistola sia sempre in modalità di sicurezza quando non in uso.

Istruzioni per l'Installazione e l'Uso

Installazione

- Rimuovere la pistola dalla custodia e assicurarsi che sia scarica.
- Seguire le istruzioni specifiche del produttore per rimuovere il grilletto originale.
- Installare il Grilletto TYRANT CNC seguendo le seguenti fasi:
 1. Posizionare il grilletto nella sede appropriata.
 2. Fissare il grilletto utilizzando le viti fornite, assicurandosi che siano ben serrate.
 3. Verificare che il grilletto funzioni correttamente prima di utilizzare la pistola.

Uso

- Prima di ogni utilizzo, controllare che il grilletto e la pistola siano in buone condizioni.
- Eseguire un test di funzionamento in un ambiente sicuro e controllato.
- Seguire tutte le procedure di sicurezza relative all'uso delle armi da fuoco.

Istruzioni per lo Smaltimento

- Smaltire il grilletto e i materiali di imballaggio in conformità con le normative locali sui rifiuti.
- Non gettare il grilletto nel fuoco o in altre fonti di calore.
- Contattare le autorità locali per informazioni sullo smaltimento sicuro di componenti di armi da fuoco.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni o supporto, consultare il sito web ufficiale del produttore o contattare un rivenditore autorizzato.

Si prega di notare che il Grilletto TYRANT CNC per Glock 43/43X/48 è progettato per migliorare l'esperienza di tiro e la precisione. Tuttavia, è responsabilità dell'utente seguire tutte le linee guida di sicurezza e le normative applicabili.