

TRIGGER W/BAR FOR GLOCK 43/43X/48 - TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GRAY/GOLD

TYRANT CNC TRIGGER W/BAR FOR GLOCK 43/43X/48 Enjoy highly accurate initial and follow up shots at all times with the Glock 43/43x/48 compatible trigger's superior trigger resets. The I.T.T.S. is armed with a 30 percent power spring to ensure lightning-fast resets after every shot. With our power spring in use, the trigger indicates a more pronounced and defined wall, all while giving you positive feedback when resetting. Overall, the I.T.T.S. boasts a stronger reset over other standard triggers, making it one of the best performing Glock triggers that you can find. Optimize every shot you take with the precision, efficiency and durability of the I.T.T.S. Trigger for the Glock 43x, G43, or G48. **FLAT FACED TRIGGER FEATURES** Get the most out of your Glock 43x, G43, G48 trigger with this high-performing hybrid model. The Tyrant CNC I.T.T.S. is a cross between a curved trigger and a flat faced trigger, letting you enjoy the best of both worlds. With help from flat faced features, our Glock trigger helps ensure a uniform trigger pull with every shot.



CURVED TRIGGER FEATURES Reap the benefits of a curved trigger along with a flat faced trigger when you use our Glock compatible trigger. This trigger is intentionally designed with some of the best elements of a curved trigger to make every shot as efficient and direct as possible. Because this Glock compatible trigger is highly influenced by the setup of a curved trigger, the trigger's lip has an enhanced curve feature that helps create consistency on initial and follow up shots. Additionally, you have the opportunity to benefit from the comfortable, intuitive setup of the I.T.T.S. The curved features of this product allow for a taller trigger, which helps provide a greater sense of comfort for users with larger hands. **HIGH DURABILITY** Enjoy your Glock 43x, / G43x /, G48 trigger for years to come with help from its highly durable design. Every feature of this product is built to ensure that it lasts for an extended period of time, even with continued use. The I.T.T.S. is also made with set screws in lieu of pins to boost the strength and sturdiness of the trigger. Not only do these screws improve the overall performance of the product, but they also simplify every step of the maintenance process for optimal ease of use. **SPECS Platform:** Glock Designed For Models: G43, G43X, G48 **Glock Generation:** Generation 3, Generation 4, Generation 5, Crossover **Fitment Notes:** GLOCK 43, 43X, 48 **Component:** Trigger **DISCLAIMER:** "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.

Attributes

- Name: TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GRAY/GOLD
- Manufacturer: TYRANT CNC
- Product no.: 430118571
- Mfr. No.: TD-G43TRIG-GREY-GOLD-BAR
- Finish: Gray/Gold
- Model: 43,43X
- Model Number: Gray w/Gold
- Weapon type: Glock

- Delivery weight: 0.018kg
- Shipping height: 102mm
- Shipping width: 51mm
- Shipping length: 127mm
- UPC: 764046032905

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48](#)
- [English: Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48 TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GRAY/GOLD](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC per GLOCK 43/43X/48](#)

Sicherheitshinweise für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48

Einführung

Vielen Dank, dass du dich für den TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48 entschieden hast. Diese Anleitung bietet wichtige Informationen zur sicheren Nutzung und Handhabung des Produkts. Bitte lies die folgenden Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass du das Produkt sicher und effektiv nutzen kannst.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du die Bedienungsanleitung für deine GLOCKPistole gelesen und verstanden hast, bevor du den Abzug installierst oder verwendest.
- Halte das Produkt und alle damit verbundenen Teile außerhalb der Reichweite von Kindern und anderen ungeschulten Personen.
- Verwende das Produkt nur für den vorgesehenen Zweck und in Übereinstimmung mit den Anweisungen in dieser Anleitung.
- Überprüfe regelmäßig den Zustand des Abzugs und der damit verbundenen Teile auf Verschleiß oder Beschädigungen.
- Melde unsichere Produkte oder Vorfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwende den TYRANT CNC TRIGGER W/BAR nur mit den kompatiblen GLOCKModellen (G43, G43X, G48).
- Achte darauf, dass die Waffe vor der Installation des Abzugs entladen ist.
- Vermeide es, den Abzug in feuchten oder extremen Umgebungen zu verwenden, da dies die Funktionalität beeinträchtigen kann.
- Achte darauf, dass der Abzug korrekt installiert ist, um unerwartete Fehlfunktionen zu vermeiden.
- Verwende nur die empfohlenen Werkzeuge und Teile für die Installation und Wartung.

Anweisungen zur Installation und Nutzung

1. Installation des Abzugs:

- Entlade die Waffe vollständig und überprüfe, ob sie sicher ist.
- Entferne den vorhandenen Abzug gemäß der Bedienungsanleitung deiner GLOCKPistole.
- Setze den TYRANT CNC TRIGGER W/BAR in die vorgesehene Position ein.
- Stelle sicher, dass alle Schrauben fest angezogen sind und der Abzug sicher sitzt.

2. Verwendung des Abzugs:

- Halte die Waffe sicher und stabil, während du den Abzug betätigst.
- Achte darauf, dass du die Waffe in eine sichere Richtung richtest, während du schießt.
- Beobachte die Reaktion des Abzugs und gewöhne dich an den neuen Widerstand und das Feedback.

Entsorgungsanweisungen

- Entsorge alle nicht mehr benötigten Teile und Verpackungen gemäß den örtlichen Vorschriften für Elektronik und Kunststoffabfälle.
- Achte darauf, dass alle Teile sicher und umweltgerecht entsorgt werden, um die Umwelt zu schützen.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder zusätzliche Informationen wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Achte darauf, dass du alle relevanten Informationen über das Produkt bereithältst, um eine schnelle und effektive Unterstützung zu erhalten.

Bitte beachte, dass die Sicherheit und ordnungsgemäße Verwendung des TYRANT CNC TRIGGER W/BAR für GLOCK 43/43X/48 in deiner Verantwortung liegt. Befolge die oben genannten Richtlinien und Anweisungen, um ein sicheres und effektives Nutzungserlebnis zu gewährleisten.

Safety Instruction Guide for TRIGGER W/BAR FOR GLOCK 43/43X/48 TYRANT CNC TRIGGER W/BAR FOR GLOCK G43 GRAY/GOLD

Introduction

Thank you for choosing the Tyrant CNC Trigger with Bar for Glock 43, 43X, and 48. This product is designed to enhance your shooting experience with improved trigger performance. However, it is important to follow safety guidelines to ensure safe usage and maintenance. This guide provides essential safety instructions, installation steps, and disposal information to help you use this product responsibly.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it is not.
- Keep the firearm pointed in a safe direction at all times.
- Ensure that you understand how to operate your Glock model safely before installing and using this trigger.
- Do not modify the trigger or any other components of your firearm beyond the manufacturer's specifications.
- Keep this product and all firearms out of reach of children and unauthorized users.
- Regularly inspect the trigger and firearm for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that this trigger is compatible with Glock models 43, 43X, and 48.
- **Installation:** Follow the installation instructions carefully to avoid any improper setup that may lead to malfunction.
- **Testing:** After installation, conduct a function test in a safe environment to ensure the trigger operates correctly.
- **Maintenance:** Regularly clean and maintain the trigger to ensure optimal performance and safety.
- **Use with Caution:** Always use appropriate eye and ear protection when shooting.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your Glock is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a punch tool and a screwdriver.

2. Installation Steps:

- Remove the slide from the Glock according to the manufacturer's instructions.
- Disassemble the trigger mechanism by following the Glock disassembly guide.
- Replace the original trigger with the Tyrant CNC Trigger, ensuring that all components fit securely.
- Use set screws instead of pins for enhanced strength and ease of maintenance.
- Reassemble the trigger mechanism and slide, ensuring all parts are correctly positioned.

3. Function Testing:

- With the firearm still pointed in a safe direction, conduct a function test to ensure the trigger resets properly.

- Check for any unusual resistance or failure to reset; if any issues arise, consult a qualified gunsmith.

4. Usage:

- Use the trigger as intended in conjunction with your Glock firearm.
- Maintain awareness of your surroundings and follow all shooting range rules and regulations.

Disposal Instructions

- Dispose of the product in accordance with local regulations for firearm accessories and components.
- Do not dispose of the trigger in regular household waste; instead, contact your local waste management facility for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the installation, usage, or safety of the Tyrant CNC Trigger, please refer to the manufacturer's website or consult with a qualified professional.

Conclusion

By following these safety guidelines and instructions, you can enjoy enhanced performance from your Tyrant CNC Trigger while ensuring your safety and the safety of those around you. Always prioritize safety and responsible firearm handling.

Guida alle Istruzioni di Sicurezza per il Grilletto TYRANT CNC per GLOCK 43/43X/48

Introduzione

Questa guida fornisce istruzioni di sicurezza importanti per l'uso del Grilletto TYRANT CNC W/BAR progettato per i modelli GLOCK 43, 43X e 48. È fondamentale seguire queste istruzioni per garantire un utilizzo sicuro e responsabile del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare il grilletto solo con armi da fuoco compatibili.
- Leggi attentamente il manuale del produttore della tua arma prima di installare il grilletto.
- Controlla regolarmente il grilletto per eventuali segni di usura o danni.
- Non utilizzare il grilletto se presenta danni visibili.
- Tieni il grilletto e le armi in un luogo sicuro e fuori dalla portata dei bambini.
- Segnala eventuali prodotti difettosi o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Non modificare il grilletto o le sue componenti.
- Assicurati che l'arma sia scarica prima di installare o rimuovere il grilletto.
- Utilizza sempre protezioni per gli occhi e le orecchie durante l'uso dell'arma.
- Non puntare mai l'arma verso qualcosa che non si intende colpire.
- Mantieni sempre il dito al di fuori del grilletto fino a quando non sei pronto a sparare.
- Non lasciare mai l'arma incustodita, specialmente in presenza di bambini.

Istruzioni per l'Installazione e l'Uso

Installazione del Grilletto

1. Assicurati che l'arma sia completamente scarica.
2. Rimuovi il grilletto originale seguendo le istruzioni del manuale dell'arma.
3. Posiziona il grilletto TYRANT CNC W/BAR nel vano del grilletto.
4. Fissa il grilletto utilizzando le viti di fissaggio fornite, assicurandoti che siano ben serrate.
5. Verifica il funzionamento del grilletto prima dell'uso.

Uso del Grilletto

- Pratica sempre in un'area designata e sicura per il tiro.
- Segui le leggi locali e nazionali relative all'uso delle armi da fuoco.
- Esegui un controllo di sicurezza dell'arma e del grilletto prima di ogni utilizzo.
- Se noti malfunzionamenti, interrompi immediatamente l'uso e verifica il grilletto.

Istruzioni per lo Smaltimento

- Smaltisci il grilletto in conformità con le normative locali sullo smaltimento dei rifiuti.
- Non gettare il grilletto o le sue componenti nell'ambiente.
- Contatta un centro di raccolta autorizzato per la corretta gestione dei rifiuti.

Informazioni di Contatto per Ulteriore Supporto

Per assistenza, consulta il sito web del produttore o contatta il servizio clienti. Assicurati di avere il numero di

modello e le informazioni di acquisto a portata di mano per un supporto più efficiente.

Conformità Normativa

Questo prodotto è progettato per rispettare le normative di sicurezza dell'Unione Europea. Se hai domande o preoccupazioni riguardo alla sicurezza del prodotto, consulta le informazioni disponibili sulla piattaforma Safety Gate dell'UE.

Ricorda che la sicurezza è una responsabilità condivisa. Segui queste linee guida per garantire un utilizzo sicuro e responsabile del Grilletto TYRANT CNC per GLOCK 43/43X/48.