

REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL - RANSOM REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL

RANSOM INTERNATIONAL REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL The Linear Remote Pull was born as a result of the shooting public's renewed interest in revolvers and additional innovations in the Double-action/Single-action (DA/SA) semi-automatic pistol markets. It was apparent our Gen 1 cable-pull remote cable was not up to the testing requirements of these new increasing double-action market interests. The Linear Remote Pull was designed to allow for the much longer and stronger trigger pull required during testing of double-action revolvers and DASA semi-autos. Some revolvers and semi-autos can require up to 20 ft/lbs of pull to fire the weapon. The LRP takes them all in stride! When designing this remote, we wanted to achieve a stronger double-action pull ability, improve the trigger adjustment capability and solve the long-reach torque issues we knew we would encounter. The linear pull concept came to life with all the strength necessary and net-zero-firing-process disturbance to the firearm. All this while increasing the trigger-travel-distance capability and creating a straight-line trigger pull. All this is accomplished in the sturdy, robust design you see before you; we like to call it the Linear Remote Pull (LRP), Gen 2. Linear Remote Pull Compatibility and Construction ACCURACY & NATURAL MOVEMENT The LRP is compatible with and mounts to the current Ransom Master Series Rest Basic, Master Series Combo Rest and all previous versions since the original 1960s Ransom Rest. The LRP body is a Heavy-Duty base machined from 6061 Aerospace grade aluminum alloy. The slide key and key ways are machined from high grade structural steel. The LRP is controlled by a braided pull-cable and housing. All LRP parts are American made, including the handgrip and the trigger lever. Reuse your original trigger finger and shoe it will just mount to the new trigger pull CARE AND CLEANING OF THE LINEAR REMOTE PULL Disassembly is not necessary. Do Not expose your LRP to excessive dirt. Before and after each use, wipe the LRP down to keep it clear of dirt, debris and gunpowder residue. If cleaning is needed, you can spray with a gun cleaner and gun lube. Then wipe down. Ransom International guarantee the exercise of reasonable care in manufacturing but assume no further responsibility.



Attributes

- Name: RANSOM REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL
- Manufacturer: RANSOM
- Product no.: 430119600
- Mfr. No.: P-10-112-20
- Delivery weight: 1.361kg
- Shipping height: 229mm
- Shipping width: 102mm
- Shipping length: 330mm
- UPC: 810132583568

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den REMOTE PULL CABLE GEN 2 \(LRP\) LINEAR REMOTE PULL](#)
- [English: Safety Instruction Guide for REMOTE PULL CABLE GEN 2 \(LRP\) LINEAR REMOTE PULL](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Cavo di Trazione Remoto Gen 2 \(LRP\) RANSOM](#)

Sicherheitshinweise für den REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL

Einführung

Herzlichen Glückwunsch zu deinem Kauf des REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL! Dieses Produkt wurde entwickelt, um dir beim Testen von Revolvern zu helfen. Um die Sicherheit bei der Benutzung zu gewährleisten, ist es wichtig, die folgenden Sicherheitshinweise zu beachten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du die Bedienungsanleitung vor der Verwendung vollständig gelesen hast.
- Verwende das Produkt nur für den vorgesehenen Zweck.
- Halte das Produkt außerhalb der Reichweite von Kindern und anderen gefährdeten Personen.
- Überprüfe das Produkt regelmäßig auf Beschädigungen oder Abnutzung.
- Melde unsichere Produkte oder Unfälle an die entsprechenden Behörden.

Spezifische Sicherheitsvorkehrungen für die Benutzung

- Verwende das Produkt nur in gut beleuchteten Bereichen.
- Achte darauf, dass alle Teile des Produkts korrekt montiert sind, bevor du es verwendest.
- Vermeide übermäßigen Schmutz und Ablagerungen auf dem Produkt.
- Benutze das Produkt nicht, wenn du müde oder abgelenkt bist.
- Verwende nur die empfohlenen Abzugsfinger und Schuhe, um die Sicherheit zu gewährleisten.

Anweisungen für Installation und Nutzung

Installation

1. Montage des LRP:

- Stelle sicher, dass du das Produkt auf einem stabilen Untergrund montierst.
- Befestige den LRP an der Ransom Master Series Rest Basic, Master Series Combo Rest oder einer vorherigen Version, indem du die mitgelieferten Anweisungen befolgst.
- Überprüfe, ob der LRP fest sitzt, bevor du ihn verwendest.

Nutzung

1. Vorbereitung:

- Wische den LRP vor der Benutzung ab, um Schmutz und Rückstände zu entfernen.
- Stelle sicher, dass das Zugkabel und das Gehäuse in einwandfreiem Zustand sind.

2. Benutzung:

- Ziehe vorsichtig am Zugkabel, um den Abzug zu betätigen.
- Achte darauf, dass du den LRP nicht übermäßig belastest, um Schäden zu vermeiden.
- Nach dem Gebrauch den LRP erneut abwischen, um Ablagerungen zu entfernen.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für Elektroschrott.
- Stelle sicher, dass alle Teile des Produkts umweltgerecht entsorgt werden.
- Informiere dich über Recyclingmöglichkeiten in deiner Nähe.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wende dich bitte an den Hersteller oder den Verkäufer, bei dem du das Produkt erworben hast.

Schlussfolgerung

Die Sicherheit bei der Nutzung des REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL hat oberste Priorität. Halte dich an die oben genannten Richtlinien und Anweisungen, um ein sicheres und effektives Nutzungserlebnis zu gewährleisten.

Safety Instruction Guide for REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL

Introduction

Thank you for choosing the REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL by Ransom International. This product is designed to enhance your shooting experience by providing a reliable and effective remote pull mechanism for testing doubleaction revolvers and DASA semiautos. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- **Product Safety:** This product is designed to ensure safe use in accordance with EU General Product Safety Regulation (GPSR). Always follow the safety instructions provided.
- **Enhanced Recalls:** Stay informed about any product recalls. In the event of a safety issue, Ransom International will provide standardized recall notices and remedies.
- **Online Shopping:** If purchased online, ensure the seller complies with safety requirements and regulations.
- **Special Consumer Focus:** Extra care should be taken when using this product around vulnerable groups, especially children.
- **EU Contact Point:** For safety inquiries, contact your local EUbased representative or authority.
- **Rapid Alerts:** Be aware of faster updates on unsafe products via the Safety Gate system.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Ensure that the product is free from defects before use.
 - Be aware of potential pinch points during operation.
 - Avoid using the product in wet or excessively dirty environments.
- **Avoiding Hazards:**
 - Always maintain a clear line of sight when using the remote pull.
 - Do not exceed the recommended pull force of 20 ft/lbs.
 - Ensure all components are securely attached before use.
 - Do not modify the remote pull cable or its components.
- **Age Restrictions:** This product is intended for use by adults and should be kept out of reach of children.

Instructions for Installation and Usage

1. Installation:

- Ensure you have the following components: LRP body, braided pullcable, housing, handgrip, and trigger lever.
- Mount the LRP to the current Ransom Master Series Rest Basic, Master Series Combo Rest, or any previous version since the 1960s Ransom Rest.
- Attach your original trigger finger and shoe to the new trigger pull.

2. Usage:

- Before each use, check for any signs of wear or damage on the LRP and its components.
- Wipe down the LRP to remove dirt, debris, and gunpowder residue.
- If cleaning is necessary, spray with a gun cleaner and gun lube, then wipe down.
- Operate the remote pull by gently pulling the braided cable to engage the trigger mechanism.
- Maintain a steady hand and avoid sudden jerks to ensure accurate operation.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product with regular household waste.
- Recycle components where possible, especially metal parts.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL, please consult your local EUbased representative or authority for assistance.

By following these guidelines, you can ensure the safe and effective use of the REMOTE PULL CABLE GEN 2 (LRP) LINEAR REMOTE PULL. Thank you for your attention to safety.

Guida alle Istruzioni di Sicurezza per il Cavo di Trazione Remoto Gen 2 (LRP) RANSOM

Introduzione

Grazie per aver scelto il Cavo di Trazione Remoto Gen 2 (LRP) di RANSOM. Questo prodotto è progettato per migliorare le prestazioni durante le prove di tiratori e per garantire un uso sicuro e affidabile. Si prega di leggere attentamente questa guida alle istruzioni di sicurezza per garantire un utilizzo corretto e sicuro del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati che il Cavo di Trazione Remoto LRP sia utilizzato solo in condizioni di sicurezza e in conformità con le istruzioni fornite.
- Non utilizzare il prodotto se è danneggiato o se presenta segni di usura.
- Tenere il prodotto lontano dalla portata dei bambini e di gruppi vulnerabili.
- Segnalare eventuali prodotti non sicuri o incidenti alle autorità competenti.
- Controllare regolarmente gli aggiornamenti di richiamo sulla piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizzare il Cavo di Trazione Remoto LRP solo con armi da fuoco compatibili e seguendo le istruzioni di montaggio.
- Assicurati che il prodotto sia fissato correttamente prima di ogni utilizzo.
- Non esercitare una forza eccessiva durante l'uso del cavo di trazione.
- Evita di esporre il cavo a polvere, sporco o umidità eccessiva.
- Prima di utilizzare il prodotto, assicurati che tutte le parti siano pulite e in buone condizioni.

Istruzioni per l'Installazione e l'Uso

Installazione

1. **Controllo dei Componenti:** Verifica che tutti i componenti del Cavo di Trazione Remoto LRP siano presenti e in buone condizioni.
2. **Montaggio:**
 - Monta il LRP sul Ransom Master Series Rest Basic, Master Series Combo Rest o su qualsiasi versione precedente del Ransom Rest.
 - Assicurati che il corpo del LRP sia fissato saldamente e che non ci siano movimenti.
3. **Collegamento:** Collega il cavo di trazione intrecciato e l'involucro secondo le istruzioni fornite.

Uso

1. **Preparazione:** Prima di ogni utilizzo, controlla che il LRP sia pulito e privo di detriti.
2. **Tiro:** Durante l'utilizzo, esercita una trazione lineare e controllata sul grilletto.
3. **Manutenzione:** Dopo ogni utilizzo, pulisci il LRP per rimuovere sporco e residui di polvere da sparo.
4. **Lubrificazione:** Se necessario, utilizza un detergente per armi e un lubrificante per armi prima di asciugare il prodotto.

Istruzioni per lo Smaltimento

- Smaltire il Cavo di Trazione Remoto LRP in conformità con le normative locali sui rifiuti.
- Non gettare il prodotto nell'ambiente. Utilizzare i centri di raccolta autorizzati per il materiale metallico e plastico.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni o assistenza, si prega di contattare il produttore o il rivenditore autorizzato. Assicurati di avere a disposizione il numero di serie del prodotto e la prova di acquisto.

Questa guida è stata preparata in conformità con il Regolamento Generale sulla Sicurezza dei Prodotti dell'UE (GPSR) per garantire la sicurezza e la protezione degli utenti. Si prega di seguire tutte le istruzioni e le linee guida per un utilizzo sicuro e responsabile del Cavo di Trazione Remoto Gen 2 (LRP) RANSOM.