

DEADLOCK CHARGING HANDLE CQB FOR AR-308/SR25 - SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE CQB FOR AR-308/SR25 FDE

SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE CQB FOR AR-308/SR25 The Sentry Manufacturing DEADLOCK Charging Handle for the AR-308/SR25 platform brings the company's proven DEADLOCK technology to larger-frame rifles, delivering enhanced reliability, durability, and shooter performance. Designed specifically for AR-308 and SR25-pattern firearms, it provides the same innovative features trusted by professional users while accommodating the increased demands of the platform. At the heart of the design is patent-pending dual-locking technology, which helps prevent inadvertent charging handle movement caused by equipment snags or accidental contact. By reducing the likelihood of unintended movement, the system helps minimize the potential for weapon malfunctions and improves operational confidence in demanding environments. The charging handle's independent dual-latch architecture allows continued operation even if one wing becomes damaged. This design also provides balanced actuation forces, ensuring smooth, consistent manipulation from either side and enhancing overall user control. Advanced gas-management technology is incorporated through a patented hard-stop gas key channel and full upper-receiver encompassing high-shelf geometry. Together, these features significantly reduce gas blowback to the shooter, improving comfort and reducing distractions during firing. Aggressive texturing on both the operating wings and activation buttons provides a secure, positive grip under adverse conditions. Whether wearing gloves or operating in wet, muddy, or otherwise challenging environments, users can confidently manipulate the charging handle when needed. Strength is further enhanced through a reinforced angled gusset at the gas key contact interface. This design delivers approximately 30% greater structural strength than conventional charging handle designs, helping it withstand the rigors of heavy-duty use and repeated cycling. Precision-machined from 7075-T6 aircraft-grade aluminum and finished with MIL-SPEC Type III hard-coat anodizing, the DEADLOCK Charging Handle offers exceptional resistance to wear, corrosion, and harsh environmental conditions while maintaining a long service life. Each DEADLOCK AR-308/SR25 Charging Handle includes a button override pin, allowing users to convert the system to traditional charging handle operation if desired. It also incorporates U.S.-manufactured extreme-duty hardware throughout, ensuring dependable performance and long-term durability.

FEATURES Patented DEADLOCK dual locking system that eliminates snags from causing unwanted weapon charging or malfunctions Truly ambidextrous wing design with independent latch engagement; allowing the charging handle to continue normal operation with either wing missing. This design also provides equal wing tension for smoother operation Aggressive wing and button texturing provide a secure grip in even the harshest environments Angled gusset at gas key contact point proves 30% greater strength than standard charging handles, resulting in less failures during hard use All handles ship with a button override pin, allowing the button to be pinned forward and DEADLOCK to be used as a traditional charging handle Patented shortened hard stop gas key channel and complete upper encompassing high shelf design for unparalleled gas blowback mitigation ALL parts are precision milled from aircraft grade 7075 aluminum and type III hard anodized for longevity and corrosion resistance Extreme duty, US made hardware



Attributes

- Name: SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE CQB FOR AR-308/SR25 FDE
- Manufacturer: SENTRY MANUFACTURING
- Product no.: 430119821
- Mfr. No.: 2001-000-FDE
- Finish: Flat Dark Earth
- Hand: Ambidextrous
- Material: Aluminum 7075-T6
- Model: SR-25
- Weapon type: AR .308,Knights Armament
- Delivery weight: 0.227kg
- Shipping height: 203mm
- Shipping width: 76mm
- Shipping length: 76mm
- UPC: 669185436884

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den DEADLOCK Charging Handle CQB für AR308/SR25](#)
- [English: Safety Instruction Guide for DEADLOCK Charging Handle CQB for AR308/SR25](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per il Maniglia di Ricarica DEADLOCK CQB per AR308/SR25](#)

Sicherheitshinweise für den DEADLOCK Charging Handle CQB für AR308/SR25

Einführung

Der DEADLOCK Charging Handle CQB von SENTRY MANUFACTURING ist ein hochwertiger Ladehebel, der speziell für die Nutzung mit AR308 und SR25 Feuerwaffen entwickelt wurde. Diese Anleitung bietet wichtige Sicherheitshinweise und Anweisungen zur sicheren Verwendung und Installation des Produkts. Bitte lies diese Informationen sorgfältig durch, um die Sicherheit während der Nutzung zu gewährleisten.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du das Produkt in Übereinstimmung mit den geltenden Gesetzen und Vorschriften in deinem Land verwendest.
- Verwende den Ladehebel nur für den vorgesehenen Zweck und in Verbindung mit kompatiblen Feuerwaffen.
- Halte den Ladehebel und die Feuerwaffe immer von Kindern und unbefugten Personen fern.
- Überprüfe regelmäßig den Zustand des Ladehebels auf Beschädigungen oder Abnutzung.
- Bei Anzeichen von Beschädigungen oder Fehlfunktionen verwende das Produkt nicht und wende dich an einen Fachmann.

Besondere Sicherheitsvorkehrungen für die Nutzung

- Verwende den Ladehebel nur, wenn du sicher bist, dass die Waffe entladen ist.
- Trage immer geeignete Schutzausrüstung, wie z. B. Schutzbrille und Gehörschutz, während der Nutzung.
- Achte darauf, dass deine Hände trocken und sauber sind, um einen sicheren Griff zu gewährleisten.
- Vermeide es, den Ladehebel in extremen Bedingungen zu verwenden, die die Funktionalität beeinträchtigen könnten, wie z. B. bei extremen Temperaturen oder unter Wasser.

Anweisungen zur Installation und Nutzung

1. Installation:

- Stelle sicher, dass die Waffe entladen ist.
- Entferne den alten Ladehebel, falls vorhanden, indem du die entsprechenden Schrauben löst.
- Setze den DEADLOCK Charging Handle an der vorgesehenen Stelle ein und ziehe die Schrauben fest.
- Überprüfe die korrekte Positionierung und Funktion des Ladehebels.

2. Nutzung:

- Greife den Ladehebel mit einer Hand und ziehe ihn zurück, um die Kammer zu öffnen.
- Lass den Ladehebel sanft los, um ihn in die Ausgangsposition zurückzuführen.
- Achte darauf, dass der Ladehebel vollständig zurück in die Ausgangsposition springt, bevor du die Waffe abfeuerst.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metall und Kunststoffabfällen.
- Stelle sicher, dass alle Teile des Ladehebels sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

- Bei Fragen oder Bedenken zur Sicherheit des Produkts wende dich an den Hersteller oder einen autorisierten Händler.
- Informiere dich regelmäßig über Rückrufaktionen und Sicherheitswarnungen auf der EU Safety GatePlattform.

Schlussfolgerung

Die Sicherheit steht an erster Stelle, wenn du den DEADLOCK Charging Handle CQB für AR308/SR25 verwendest. Indem du diese Richtlinien befolgst, kannst du die Sicherheit und Leistung deines Ladehebels maximieren. Achte darauf, alle Anweisungen sorgfältig zu befolgen und bei Unsicherheiten professionelle Hilfe in Anspruch zu nehmen.

Safety Instruction Guide for DEADLOCK Charging Handle CQB for AR308/SR25

Introduction

Thank you for choosing the Sentry Manufacturing DEADLOCK Charging Handle CQB for AR308/SR25. This product is designed to enhance the performance and reliability of your firearm. To ensure safe and effective use, please read and follow this safety instruction guide carefully.

General Safety Guidelines

- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Ensure the charging handle is in a safe position before handling the firearm.
- Use the product only for its intended purpose as described in this manual.
- Keep the charging handle and firearm out of reach of children and unauthorized users.
- Regularly inspect the charging handle for any signs of wear or damage before use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the charging handle is properly installed before using the firearm.
- Avoid using excessive force when manipulating the charging handle.
- Do not attempt to modify or disassemble the charging handle.
- Always wear appropriate eye and ear protection while operating the firearm.
- Be aware of your surroundings and ensure that you are in a safe environment when using the firearm.
- Do not use the charging handle if it shows signs of damage or malfunction.
- If operating in adverse conditions (e.g., wet or muddy environments), ensure that your grip on the charging handle is secure.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing charging handle from the firearm according to the manufacturer's instructions.
3. Align the DEADLOCK Charging Handle with the receiver of the firearm.
4. Insert the charging handle into the receiver until it is fully seated.
5. Test the operation of the charging handle to ensure smooth movement and proper engagement.

Usage

- To charge the firearm, grasp the charging handle firmly with one hand.
- Pull the handle back smoothly and release to chamber a round.
- Ensure that the handle returns to its original position after use.
- If using gloves or in adverse conditions, ensure that your grip remains secure during operation.

Disposal Instructions

- Dispose of the charging handle according to local regulations for metal and electronic waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged beyond repair, consider recycling materials where possible.

Contact Information for Further Support

For any inquiries regarding the safety and use of the DEADLOCK Charging Handle CQB for AR308/SR25, please refer to the manufacturer's website or customer support resources.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your Sentry Manufacturing DEADLOCK Charging Handle. Always prioritize safety and be aware of your surroundings when handling firearms.

Guida alle Istruzioni di Sicurezza per il Maniglia di Ricarica DEADLOCK CQB per AR308/SR25

Introduzione

Grazie per aver scelto la maniglia di ricarica DEADLOCK CQB per AR308/SR25 di SENTRY MANUFACTURING. Questo prodotto è progettato per garantire prestazioni elevate e sicurezza durante l'uso. Si prega di leggere attentamente questa guida per garantire un utilizzo sicuro e corretto del prodotto.

Linee Guida Generali sulla Sicurezza

- Assicurarsi che il prodotto sia utilizzato solo da adulti o da persone con esperienza nell'uso di armi da fuoco.
- Seguire sempre le leggi locali e nazionali relative all'uso di armi da fuoco.
- Tenere il prodotto lontano dalla portata dei bambini e di persone non autorizzate.
- Ispezionare regolarmente il prodotto per eventuali segni di usura o danni.
- Non utilizzare il prodotto se presenta difetti visibili o se non funziona correttamente.
- Segnalare eventuali prodotti difettosi o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Utilizzare sempre occhiali protettivi durante l'uso della maniglia di ricarica.
- Non forzare mai la maniglia di ricarica se non si muove liberamente.
- Evitare di utilizzare la maniglia in condizioni estreme senza un'adeguata preparazione.
- Non utilizzare la maniglia di ricarica in combinazione con accessori non compatibili.
- Assicurarsi che l'arma sia sempre scarica prima di installare o rimuovere la maniglia di ricarica.
- Non tentare mai di modificare o riparare la maniglia di ricarica da soli.

Istruzioni per l'Installazione e l'Uso

Installazione

1. **Preparazione:** Assicurarsi che l'arma sia completamente scarica.
2. **Rimozione della Maniglia Esistente:** Se presente, rimuovere la maniglia di ricarica esistente seguendo le istruzioni del produttore dell'arma.
3. **Installazione della Maniglia DEADLOCK:**
 - Allineare la maniglia di ricarica DEADLOCK con il punto di montaggio sull'arma.
 - Inserire il perno di sovrapposizione del pulsante secondo le istruzioni.
 - Assicurarsi che la maniglia sia fissata saldamente e che non ci siano movimenti indesiderati.

Uso

- Utilizzare la maniglia di ricarica DEADLOCK in modo fluido e controllato.
- In caso di inceppamento, seguire le procedure di emergenza appropriate per l'arma.
- Dopo ogni utilizzo, pulire la maniglia di ricarica per rimuovere polvere e detriti.

Istruzioni per lo Smaltimento

- Smaltire il prodotto in conformità con le normative locali relative ai materiali metallici e ai rifiuti pericolosi.
- Non gettare il prodotto nell'ambiente. Seguire le linee guida per il riciclaggio dei metalli.

Informazioni di Contatto per Ulteriore Supporto

Per ulteriori informazioni, assistenza o segnalazioni di sicurezza, contattare il rivenditore presso il quale è stato acquistato il prodotto o consultare il sito web ufficiale di SENTRY MANUFACTURING.

Conclusione

La maniglia di ricarica DEADLOCK CQB per AR308/SR25 è progettata per offrire prestazioni elevate e sicurezza. Seguendo queste linee guida, è possibile garantire un utilizzo sicuro e efficace del prodotto. Grazie per aver scelto SENTRY MANUFACTURING.