

FDE Superlite with Oryx Chassis, 22 LR

The Superlite rifle is a great plinker or hunting rifle that's a breeze to carry and shoot. It features a super lightweight but ultra tough CNC-machined aluminum hard anodized receiver rather than the stainless steel receiver on which our other Volquartsen rifles are built. The Superlite also comes standard with our lightweight THM tension barrel.



The standard Superlite models feature a removable Forward Blow Comp that is threaded on using 1/2 x 28 threads.

Configuration:

- 22 LR
- Black
- ORYX Chassis - Flat Dark Earth

Trigger Group:

- Flat Dark Earth

Barrel:

- Forward Blow Comp - Black Anodized Aluminum
- FDE Cerakoted Aluminum
- Black Ends

Details:

- receiver is Type III hard anodized
- Receiver features threaded in barrel
- Integral Picatinny rail

Attributes

- Name: FDE Superlite with Oryx Chassis, 22 LR
- Manufacturer: VOLQUARTSEN
- Product no.: BRD113002
- Mfr. No.: VCR-0253
- Barrel Length: 17"
- Caliber: .22lr
- Capacity: 10-Round
- Color: Flat Dark Earth, FDE
- Material: Aluminum, Stainless Steel
- Muzzle: 1/2-28
- Twist Rate: 1-16
- Weight: 2,97kg
- Delivery weight: 3.45kg
- UPC: 810162019747

Item details

EU Export Disabled

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das FDE Superlite mit Oryx Chassis](#)
- [English: Safety Instruction Guide for FDE Superlite with Oryx Chassis](#)

Sicherheitshinweise für das FDE Superlite mit Oryx Chassis

Einleitung

Herzlichen Glückwunsch zu Ihrem Kauf des FDE Superlite mit Oryx Chassis. Dieses Produkt wurde entwickelt, um Ihnen ein sicheres und angenehmes Schießerlebnis zu bieten. Bitte lesen Sie diese Sicherheitshinweise sorgfältig durch, um sicherzustellen, dass Sie das Produkt sicher verwenden und mögliche Gefahren vermeiden.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie die Bedienungsanleitung vollständig gelesen und verstanden haben, bevor Sie das Produkt verwenden.
- Verwahren Sie das Produkt außerhalb der Reichweite von Kindern und unbefugten Personen.
- Verwenden Sie das Produkt nur für den vorgesehenen Zweck.
- Informieren Sie sich über die geltenden Gesetze und Vorschriften in Ihrem Land oder Ihrer Region bezüglich des Besitzes und der Verwendung von Feuerwaffen.
- Melden Sie unsichere Produkte oder Unfälle den zuständigen Behörden.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Tragen Sie immer Schutzbrille und Ohrenschutz beim Schießen.
- Überprüfen Sie das Produkt vor jedem Gebrauch auf Beschädigungen oder Mängel.
- Verwenden Sie nur die empfohlenen Munitionstypen (.22 LR) für das FDE Superlite.
- Halten Sie den Abzug nicht gedrückt, während Sie das Gewehr laden oder entladen.
- Achten Sie immer darauf, dass der Lauf frei von Hindernissen ist, bevor Sie schießen.
- Schießen Sie niemals auf etwas, das Sie nicht beabsichtigen zu treffen.
- Seien Sie sich bewusst, dass das Schießen in bestimmten Umgebungen oder unter bestimmten Bedingungen gefährlich sein kann.

Anweisungen für Installation und Nutzung

• Installation des Forward Blow Compensators:

- Schrauben Sie den Forward Blow Compensator mit dem 1/2 x 28 Gewinde sicher auf das Gewehr.
- Überprüfen Sie, ob der Compensator fest sitzt, bevor Sie das Gewehr verwenden.

• Laden des Gewehrs:

- Stellen Sie sicher, dass das Gewehr in der sicheren Position ist (z.B. mit dem Lauf in eine sichere Richtung).
- Führen Sie die 10-Runden-Magazine in das Gewehr ein, bis sie einrasten.
- Überprüfen Sie, ob das Magazin korrekt eingesetzt ist.

• Schießen:

- Stellen Sie sicher, dass sich keine Personen oder Tiere im Schussfeld befinden.
- Zielen Sie sorgfältig und drücken Sie den Abzug sanft, um einen Schuss abzugeben.
- Nach dem Schießen, überprüfen Sie das Gewehr und entladen Sie es, bevor Sie es ablegen.

Entsorgungsanweisungen

- Entsorgen Sie das Produkt gemäß den örtlichen Vorschriften für gefährliche Abfälle.
- Bringen Sie das Gewehr und die Munition nicht einfach in den Müll. Wenden Sie sich an eine autorisierte Entsorgungsstelle oder einen Händler.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Bedenken zu Ihrem Produkt wenden Sie sich bitte an den Hersteller oder einen autorisierten Händler. Achten Sie darauf, alle Sicherheitsrichtlinien und gesetzlichen Bestimmungen zu beachten.

Vielen Dank, dass Sie sich für das FDE Superlite mit Oryx Chassis entschieden haben. Genießen Sie Ihr Schießerlebnis und bleiben Sie sicher!

Safety Instruction Guide for FDE Superlite with Oryx Chassis

Introduction

Thank you for choosing the FDE Superlite with Oryx Chassis. This guide provides essential safety instructions to ensure the safe use and handling of your rifle. It is important to read and understand these guidelines thoroughly before using the product.

General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store firearms securely and out of reach of children and unauthorized users.
- Wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure that the area is safe for shooting.
- Do not consume alcohol or drugs before or during the use of firearms.
- Regularly inspect your firearm for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm use and ownership.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before performing any maintenance or cleaning.
- Use only the recommended ammunition for the FDE Superlite, which is .22 LR.
- Do not modify the firearm in any way that could compromise its safety.
- Be cautious when using the Forward Blow Comp feature; ensure that it is properly installed before use.
- Always check the barrel for obstructions before loading.
- Do not exceed the magazine capacity of 10 rounds.
- Keep your fingers off the trigger until you are ready to shoot.

Instructions for Installation and Usage

1. Installation of the Forward Blow Comp:

- Ensure the rifle is unloaded.
- Align the Forward Blow Comp with the threaded barrel.
- Securely thread the comp onto the barrel, ensuring it is tight but not overtightened.

2. Loading the Rifle:

- Open the action and ensure the chamber is clear.
- Insert the magazine into the magazine well until it clicks into place.
- Pull back the bolt handle to chamber a round.

3. Shooting:

- Assume a stable shooting position.
- Aim at your target, ensuring a clear line of sight.
- When ready, place your finger on the trigger and gently squeeze to fire.

4. Unloading the Rifle:

- Point the rifle in a safe direction.

- Remove the magazine from the magazine well.
- Pull back the bolt handle to eject any chambered round.

5. Cleaning and Maintenance:

- Clean the rifle after each use to prevent buildup of residue.
- Use appropriate cleaning supplies for aluminum and stainless steel.
- Regularly check the integrity of the receiver and barrel for any signs of wear.

Disposal Instructions

- Dispose of any unused or expired ammunition in accordance with local regulations.
- For the rifle, contact your local authorities or a licensed firearms dealer for proper disposal methods.
- Do not dispose of the firearm in regular waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the FDE Superlite with Oryx Chassis, please refer to your local authorized dealer or manufacturer's representative. It is important to have a point of contact for any safetyrelated questions.

Conclusion

Adhering to these safety guidelines will help ensure a safe and enjoyable experience with your FDE Superlite with Oryx Chassis. Always prioritize safety and responsibility when handling firearms.