

Pistol Competition Kit - Black - MKIII

Are you looking for the right parts to take your Ruger MKII, MKIII and 22/45 to the next level?



Then the Pistol Competition Kit is just the thing for you. This kit includes our Accurizing Kit, the Bolt Tune-Up Kit for MKI, MKII, MKIII, MK IV and 22/45 and a CNC machined disconnecter for MKII and MKIII.

The Pistol Competition Kit is designed to produce a crisp, clean 2.25-pound trigger pull, eliminate stovepipes and prevent failures. Perfect for the discerning shooter looking for maximum accuracy and reliability.

Attributes

- Name: Pistol Competition Kit - Black - MKIII
- Manufacturer: VOLQUARTSEN
- Product no.: BRD231493
- Mfr. No.: VC3PCK-B
- Color Finish: Black
- Model: MKIII
- Delivery weight: 0.5kg
- UPC: 810162014001

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für das Pistol Competition Kit MKIII](#)
- [English: Pistol Competition Kit Safety Instructions](#)

Sicherheitshinweise für das Pistol Competition Kit MKIII

Einleitung

Willkommen beim Pistol Competition Kit MKIII. Dieses Kit wurde entwickelt, um die Leistung Ihrer Ruger MKII, MKIII und 22/45 zu verbessern. Um sicherzustellen, dass Sie das Kit sicher und effektiv nutzen, beachten Sie bitte die folgenden Sicherheitshinweise und Anweisungen.

Allgemeine Sicherheitsrichtlinien

- Stellen Sie sicher, dass Sie das Produkt nur in Übereinstimmung mit den Anweisungen verwenden.
- Lagern Sie das Kit an einem sicheren Ort, der für Kinder unzugänglich ist.
- Überprüfen Sie regelmäßig auf mögliche Schäden oder Abnutzungserscheinungen.
- Verwenden Sie das Kit nicht, wenn Sie unter dem Einfluss von Alkohol oder Drogen stehen.
- Melden Sie unsichere Produkte oder Vorfälle umgehend den zuständigen Behörden.
- Halten Sie sich über Rückrufmeldungen auf der EU Safety Gate-Plattform informiert.

Besondere Sicherheitsvorkehrungen für die Verwendung

- Verwenden Sie das Kit ausschließlich für die vorgesehenen Modelle (MKII, MKIII und 22/45).
- Achten Sie darauf, dass alle Teile korrekt installiert sind, um Fehlfunktionen zu vermeiden.
- Verwenden Sie nur empfohlene Werkzeuge und Zubehörteile für die Installation.
- Überprüfen Sie nach der Installation die Funktionalität des Abzugs, bevor Sie das Produkt verwenden.
- Seien Sie vorsichtig beim Umgang mit scharfen Kanten und mechanischen Teilen.

Anweisungen zur Installation und Nutzung

1. Vorbereitung

- Stellen Sie sicher, dass Sie alle Teile des Kits haben.
- Lesen Sie die Anleitung sorgfältig durch, bevor Sie mit der Installation beginnen.

2. Installation des Accurizing Kits

- Entfernen Sie die Abdeckung des Abzugs.
- Installieren Sie die neuen Teile gemäß den Anweisungen im Kit.
- Überprüfen Sie die Funktionalität des Abzugs nach der Installation.

3. Installation des Bolt TuneUp Kits

- Entfernen Sie den Verschluss gemäß der Anleitung.
- Ersetzen Sie die Teile im Verschluss mit den neuen Komponenten.
- Setzen Sie den Verschluss wieder ein und überprüfen Sie die Funktion.

4. Installation des CNCgefrästen Disconnectors

- Entfernen Sie den alten Disconnector.
- Installieren Sie den neuen Disconnector gemäß den Anweisungen.
- Testen Sie die Funktion, um sicherzustellen, dass alles ordnungsgemäß funktioniert.

5. Abschlusstests

- Führen Sie einen Funktionstest durch, um sicherzustellen, dass der Abzug korrekt funktioniert.

- Überprüfen Sie auf Stovepipes und andere mögliche Fehlfunktionen.

Entsorgungsanweisungen

- Entsorgen Sie alle Verpackungsmaterialien gemäß den örtlichen Vorschriften.
- Bringen Sie alte oder beschädigte Teile zu einer geeigneten Entsorgungsstelle.
- Achten Sie darauf, dass alle gefährlichen Materialien sicher und umweltgerecht entsorgt werden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder weitere Unterstützung wenden Sie sich bitte an die zuständige Stelle in Ihrer Nähe. Es ist wichtig, dass Sie bei Sicherheitsanfragen einen Ansprechpartner haben.

Bitte beachten Sie, dass diese Sicherheitshinweise regelmäßig aktualisiert werden können. Halten Sie sich über die neuesten Informationen auf dem Laufenden, um die Sicherheit bei der Verwendung des Pistol Competition Kits zu gewährleisten.

Pistol Competition Kit Safety Instructions

Introduction

Thank you for choosing the Pistol Competition Kit Black MKIII. This kit is designed to enhance the performance of your Ruger MKII, MKIII, and 22/45 firearms. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to shoot.
- Never point your firearm at anything you do not intend to shoot.
- Store your firearm and ammunition separately and securely.
- Ensure you are in a safe and controlled environment when handling your firearm.
- Be aware of your surroundings and ensure that no one is in the line of fire.
- Always wear appropriate eye and ear protection when shooting.
- Regularly inspect your firearm and accessories for signs of wear or damage.

Specific Safety Precautions for Use

- Ensure the Pistol Competition Kit is compatible with your firearm model (MKII, MKIII, or 22/45).
- Follow all instructions provided in the kit for installation and usage to avoid malfunctions.
- Do not attempt to modify the kit or any of its components beyond the manufacturer's specifications.
- Keep the kit and its components out of reach of children and unauthorized users.
- If you experience any issues during installation or usage, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools as indicated in the installation instructions.

2. Installation of the Accurizing Kit

- Follow the detailed instructions included in the kit for the installation of the Accurizing Kit.
- Ensure all components are securely attached and functioning correctly before use.

3. Installation of the Bolt TuneUp Kit

- Carefully replace the bolt components as per the instructions.
- Check for proper alignment and secure fitting of all parts.

4. CNC Machined Disconnecter Installation

- Install the disconnecter according to the provided guidelines.
- Verify that the disconnecter operates smoothly and does not obstruct the trigger mechanism.

5. Final Checks

- After installation, conduct a function check of your firearm to ensure everything is working as intended.
- Test the trigger pull and ensure it is at the desired weight of 2.25 pounds.

6. Usage

- When using your firearm equipped with the Pistol Competition Kit, follow all standard shooting practices.
- Be mindful of the enhanced performance and adjust your shooting technique accordingly.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- Do not dispose of firearm components in regular waste. Check with local authorities for proper disposal methods of firearm parts.

Contact Information for Further Support

For any questions or concerns regarding the Pistol Competition Kit, please refer to the contact details provided with your purchase. Ensure you have the model number and any relevant information available when seeking assistance.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience while using the Pistol Competition Kit. Always prioritize safety and responsibility when handling firearms. Thank you for your commitment to safe shooting practices.