

VF-ORYX O.D Green

Sind Sie auf der Suche nach dem ultimativen Präzisions-Halbautomaten in 22 LR? Die VF-ORYX ist genau das Richtige.



Es basiert auf einem CNC-gefrästen Receiver aus rostfreiem Stahl. Dieses Gehäuse verfügt über eine integrierte 20 MOA-Schiene, die es ideal für das Schießen auf weite Entfernungen in 22 LR macht.

Der Snake Fluted Barrel ist in das Gehäuse eingeschraubt und erhöht die Stabilität zwischen Lauf und System.

Wie alle Volquartsen Gewehre ist auch dieses mit CNC-gefrästen und Draht-EDM-verstärkten Komponenten ausgestattet, da Volquartsen der Meinung sind, dass dies für den Bau der besten halbautomatischen Randfeuerwaffe auf dem Markt unerlässlich ist. Der CNC-gefräste Verschluss verfügt über einen runden Schlagbolzen aus Titan und einen abgestimmten Extraktor für verbesserte Leistung und Funktion.

Die TG2000-Abzugsgruppe bietet einen knackigen, sauberen Abzug von 2,25 lb. Sowohl der Vor- als auch der Reset können vom Schützen individuell eingestellt werden.

Die VF-ORYX Büchse wird in das ORYX-Gehäuse von MDT eingesetzt - perfekt für das Schießen vom Tisch, vom Zweibein oder in der Liegend-Position!

Was ist das ORYX Chassis?

ORYX ist ein einteiliges, integriertes Aluminium-Chassis und -Schaft, das entwickelt wurde, um die Konsistenz und Präzision Ihres Gewehrs zu verbessern. Vom Vorderschaft bis zur Schaftkappe ist das ORYX-Gehäuse aus einem Stück Flugzeugaluminium gefertigt.

Ausgestattet mit einem frei schwingenden Lauf, einem angepassten Vorderschaft, einer verstellbaren Wangenerhöhung und einem vorgeformten Pistolengriff ist das ORYX Chassis das komfortabelste, was es gibt. Es verfügt auch über eine .25 "Spacer in der Schaftkappe für einstellbare Länge LOP.

Drall des Laufes: 1:16
Laufänge mit Comp: 20.5" (52cm)
Laufänge: 18.5"
System: Rostfreier Stahl
Gesamtgewicht: 4,1 kg
Schaft: ORYX-Chassis von MDT

Spezifikationen

Seitenplatten in alternativen Farben können zusätzlich hier erworben werden
Die Zuglänge kann mit dem Oryx Buttpad Spacer Kit verlängert werden
Edelstahlgehäuse mit Gewinde im Lauf
Integrierte Picatinny-Schiene

Diese Büchse wird ohne Optik geliefert!



Attributes

- Name: VOLQUARTSEN VF-ORYX O.D Green
- Manufacturer: VOLQUARTSEN

- Product no.: EU0000219
- Mfr. No.: VF-ORYX
- Action Type: Semi-Auto
- Barrel Length: 20.5"
- Caliber: .22lr
- Color: O.D. Green
- Magazine Type: Removable
- Make: Ruger
- Twist: 1-16
- Delivery weight: 4.8kg

Item details

EU Export Disabled

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for VOLQUARTSEN VFORYX](#)

Safety Instruction Guide for VOLQUARTSEN VFORYX

Introduction

Thank you for choosing the VOLQUARTSEN VFORYX, a highprecision semiautomatic rifle designed for optimal performance and accuracy. This safety instruction guide provides essential information to ensure the safe use of your firearm in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

General Safety Guidelines

- Always treat the firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Be aware of your target and what lies beyond it.
- Store the firearm in a secure location, away from children and unauthorized users.
- Use only the recommended ammunition type (.22 LR) for this firearm.
- Wear appropriate eye and ear protection while using the rifle.
- Always follow local laws and regulations regarding firearm usage and ownership.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before performing any maintenance or cleaning.
- Check the barrel for obstructions before each use.
- Avoid using the rifle in wet or damp conditions to prevent rust and corrosion.
- Do not modify the rifle or use aftermarket parts that are not approved by the manufacturer.
- Be cautious of the rifle's weight (4.1 kg) when carrying or using it in various positions.
- Ensure that the adjustable features (e.g., trigger pull, length of pull) are set correctly for your comfort and safety.
- Always use the rifle with the included MDT ORYX chassis for stability and performance.

Instructions for Installation and Usage

Installation

1. Assembly:

- Attach the MDT ORYX chassis to the rifle according to the manufacturer's instructions. Ensure that all screws are tightened securely.

2. Optics:

- This rifle is sold without optics. If you choose to install optics, follow the manufacturer's guidelines for mounting and adjusting the sight.

3. Adjustments:

- Adjust the trigger pull and length of pull using the provided tools. Refer to the user manual for specific instructions on making these adjustments.

Usage

1. Loading:

- Use only removable magazines designed for .22 LR ammunition. Ensure the magazine is securely inserted before loading.

2. Firing:

- To fire, ensure the safety is in the "fire" position. Aim at the target, and gently squeeze the trigger to fire.

3. Unloading:

- After use, remove the magazine and check the chamber to ensure the rifle is completely unloaded.

4. Cleaning:

- Regularly clean the barrel and action of the rifle using recommended cleaning supplies. Follow the cleaning instructions in the user manual.

Disposal Instructions

- Dispose of the rifle in accordance with local laws and regulations regarding firearm disposal.
- Ensure that the firearm is rendered inoperable before disposal.
- Dispose of any ammunition in a safe and responsible manner, following local guidelines for hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the VOLQUARTSEN VFORYX, please contact the manufacturer or your local dealer. Ensure you have your product details ready for reference.

This safety instruction guide is designed to provide you with the necessary information to use your VOLQUARTSEN VFORYX safely and responsibly. Always prioritize safety and adhere to local regulations while enjoying your firearm.